



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

December 22, 2022

Muhindo, Joseph and Kanyere, Justine  
2984 Wingate Dr. SE  
Kentwood, MI 49512

RE: License #: **DG410390761**  
**Joseph Muhindo and Justine Kanyere**  
**2984 Wingate Dr.**  
**Kentwood, MI 49512**

Dear Muhindo, Joseph and Kanyere, Justine:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 12/6/2022, I found 3 violation(s) listed below and explained in the attached report: listed below and explained in the attached report:

R400.1932 Home maintenance and safety.

R400.1941 Heat – producing equipment.

R400.1951 Transportation.

Due to the violations, you must send us a corrective action plan by 1/11/2022. You can use our [corrective action plan](#) form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.

- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.

Upon receipt of an acceptable corrective action plan, a regular license will be issued. You will receive it in the mail.

<b>During calendar year 2021:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Stacia L. Thrower, Licensing Consultant  
 Bureau of Community and Health Systems  
 Unit 13, 7th Floor  
 350 Ottawa, N.W.  
 Grand Rapids, MI 49503  
 (616) 916-5504

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DG410390761
<b>Licensee Name:</b>	Muhindo, Joseph and Kanyere, Justine
<b>Licensee Address:</b>	2984 Wingate Dr. SE Kentwood, MI 49512
<b>Licensee Telephone #:</b>	(616) 284-9783
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	Joseph Muhindo and Justine Kanyere
<b>Facility Address:</b>	2984 Wingate Dr. Kentwood, MI 49512
<b>Facility Telephone #:</b>	(616) 419-6597
<b>Original Issuance Date:</b>	01/17/2018
<b>Capacity:</b>	12
<b>Age Range:</b>	Ages Birth Thru 17 years

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 12/06/2022

		No. of Records Reviewed
No. of children enrolled in care	24	10
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	6	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input checked="" type="checkbox"/>	

Approved child use space: Main and lower levels of home.

Exiting information (including second floor and basement): The front door and a designated window provide exits from the main level. A designated window exit and the stairs leading to the main level provide exits from the lower level of the home.

Approved variances -  No  Yes Description:

Key Indicator Inspection: No

### Additional information:

- Pets? No  Yes  If yes, describe.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.
- Fireplace or wood burning stove? No  Yes  If yes, describe.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.

## III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

**R 400.1932 Home maintenance and safety.**

**(2) All dangerous and hazardous materials or items must be stored securely and out of the reach of children.**

A razor was accessible to children in a bathroom drawer on the main level of the home.

**R 400.1941 Heat-producing equipment.**

**(2) Combustible materials and equipment must not be stored within 4 feet of furnaces, other flame or heat-producing equipment, or fuel-fired water heaters.**

Plastic items are within 4 feet of the furnace and fuel – fired water heater.

**R 400.1951 Transportation.**

(9) The driver of each vehicle transporting children shall carry in the vehicle, and be familiar with, the contents of a first aid kit. The first aid kit, must contain, at a minimum, all of the following:

- (a) Adhesive tape.
- (b) Bandages (assorted sizes).
- (c) Cold pack.
- (d) Disposable gloves.
- (e) Gauze pads and roller gauze (assorted sizes).
- (f) Hand sanitizer.
- (g) Plastic bags.
- (h) Scissors and tweezers.
- (i) Triangular bandage.

The first aid kit used for transportation lacks plastic bags, hand sanitizer, and a triangular bandage.

#### IV. RECOMMENDATION

Upon receipt of an acceptable corrective action plan, I recommend issuance of a regular license to this child care home (7-12).



12/22/2022

---

Stacia L. Thrower  
Licensing Consultant

Date