



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

Michelle Richard
ACTING DIRECTOR

5/28/2024

Gustavia Nyirarukundo
Gustavia Nyirarukundo
3439 Hickory SE
Grand Rapids, MI 49508

License Number: DG410393750

Dear Gustavia Nyirarukundo,

This letter is to advise you that the 5/26/2024 corrective action plan you submitted, regarding each rule violation cited in the recently completed Inspection, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1933(4)	The water in the sink of the upstairs bathroom used by children was 129 degrees Fahrenheit. The water in the sink of the downstairs bathroom used by children was 125 degrees Fahrenheit.	The hot water heater has been turned down to ensure the hot water does not exceed 120 degrees Fahrenheit in sinks used by children in care. I will test the water weekly to make sure it does not exceed 120 degrees Fahrenheit.	Completed.
R 400.1944(1)	The smoke detector in the playroom of the basement was not operable. Licensee had a new smoke detector on site to replace it.	The smoke detector in the basement has replaced. I will test the smoke detectors periodically to ensure they are fully functional.	Completed.
R 400.1904a(2)(a)	Two of the three child care staff members had CPR certification that had expired.	The two child care staff members will complete CPR certification prior to caring for children. I will	6/14/2024

		ensure this certification is current in the future.	
R 400.1904a(2)(b)	Two of the three child care staff members had first aid certification that had expired.	The two child care staff members will complete first aid certification prior to caring for children. I will ensure this certification is current in the future.	6/14/2024
R 400.1906(1)(c)(ii)	Two of the three child care staff members had an expired medical clearance on file.	The two child care staff members will complete a new medical clearance prior to caring for children. I will keep these updated for all future renewal inspections.	6/14/2024

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact Stacie Fifelski at 517-643-6828 or fifelskis@michigan.gov. In the event that Stacie Fifelski is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Sincerely,



Stacie Fifelski, Licensing Consultant