



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
ACTING DIRECTOR

August 17, 2023

Rebecca Wood
4505 Burgis Ave SE
Kentwood, MI 49508

RE: License #: DG410412943
Stanley Home Daycare
4505 Burgis Ave SE
Kentwood, MI 49508

Dear Ms. Wood:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 08/04/2023, I found 4 violation(s) listed below and explained in the attached report:

- R 400.1904a 2(a) Child care staff member; employment requirements.**
- R 400.1904a 2(b) Child care staff member; employment requirements.**
- R 400.1906 (1)(c)(ii) Records of a licensee; child care staff member; child care assistant.**
- R 400.1941 (2) Heat-producing equipment.**

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script that reads "Lalemma Hudnell".

Lalemma Hudnell, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503
(616) 438-5537

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG410412943
Licensee Name:	Rebecca Wood
Licensee Address:	4505 Burgis Ave SE Kentwood, MI 49508
Licensee Telephone #:	(586) 713-0488
Licensee:	N/A
Name of Facility:	Stanley Home Daycare
Facility Address:	4505 Burgis Ave SE Kentwood, MI 49508
Facility Telephone #:	(586) 713-0488
Original Issuance Date:	08/24/2022
Capacity:	12
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 08/04/2023

	No. of Records Reviewed	
No. of children enrolled in care	13	5
No. of assistant caregivers employed	2	2
No. of child care children present at time of inspection	6	
No. of other children present at time of inspection	2	
No. of assistant caregivers present at time of inspection	2	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input checked="" type="checkbox"/>

Approved child use space: On the main level of the home the living room, eat-in-kitchen, and bedroom at the end of the hallway are approved child use space. On the basement level the large open play space and the small room at the back of the basement are approved child care use space.

Exiting information (including second floor and basement): The front door and the back door off the kitchen both serve as exits for the main level. On the basement level of the home there are two remotely located exits; the stairs leading up to the back door and the large egress window located in the small bedroom off the large open play space.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
3 cats and 3 dogs
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
There is a gas fireplace located in the living room that will not be used during child care hours.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1904a Child care staff member; employment requirements.

(2) Before caring for children at a child care home, an individual shall provide the licensee with all of the following:

(a) A valid certification in infant, child, and adult CPR.

Renee Wood did not have a valid certification in infant, child, adult CPR.

R 400.1904a Child care staff member; employment requirements.

(2) Before caring for children at a child care home, an individual shall provide the licensee with all of the following:

(b) A valid certification in first aid.

Renee Wood did not have a valid certification in first aid.

R 400.1906 Records of a licensee; child care staff member; child care assistant.

(1) A licensee shall maintain a file for each child care staff member and each child care assistant that includes all of the following:

(c) A statement signed by a licensed physician or his or her designee that attests to the individual's mental and physical health., and which must be updated as follows:

(ii) For a child care staff member and a child care assistant, within 1 year prior to caring for children and at the time of subsequent renewals of the child care home's license.

Renee Wood did not have a statement signed by a licensed physician that attest to her mental and physical health.

R 400.1941 Heat-producing equipment.

(2) Combustible materials and equipment must not be stored within 4 feet of furnaces, other flame or heat-producing equipment, or fuel-fired water heaters.

There were combustible and flammable materials such as paint cans, plastic, trash and debris within 4 feet of the furnace and fuel-fired water heater.

A corrective action plan was requested and approved on 08/04/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this group home.



08/17/2023

Lalemma Hudnell
Licensing Consultant

Date