



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

March 31, 2021

Teresa Wilson
 154 Pine St.
 Lapeer, MI 48446

RE: License #: DG440252056
Teresa Wilson
154 Pine St.
Lapeer, MI 48446

Dear Ms. Wilson:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on March 31, 2021, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2020:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (810) 787-7031.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Catherine Edgar". The signature is written in a cursive style with a large initial 'C' and 'E'.

Catherine S. Edgar, Licensing Consultant
Bureau of Community and Health Systems
4809 Clio Road
Flint, MI 48504
(810) 931-1380

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG440252056
Licensee Name:	Teresa Wilson
Licensee Address:	154 Pine St. Lapeer, MI 48446
Licensee Telephone #:	
Licensee:	N/A
Name of Facility:	Teresa Wilson
Facility Address:	154 Pine St. Lapeer, MI 48446
Facility Telephone #:	(810) 664-7009
Original Issuance Date:	09/23/2002
Capacity:	12
Age Range:	Ages Birth Thru 13 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 03/31/2021

		No. of Records Reviewed
No. of children enrolled in care	12	10
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	6	
No. of other children present at time of inspection	1	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee <input checked="" type="checkbox"/>	
	Assistant Caregivers <input type="checkbox"/>	

Approved child use space: The basement is approved for child care use. This includes two large rooms as well as a crib alcove. There is a bathroom located in the basement. Exiting information (including second floor and basement): There is a walk-out exit in the basement leading to the garage, in addition to the main stairway entrance.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.


Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

*Technical assistance and consultation was given regarding licensing rule R 400.1945(1)(e)&(2) – Emergency; plan; drill. (specific written plan detailing all scenarios listed in rules).

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-12).



March 31, 2021

Catherine S. Edgar
Licensing Consultant

Date