



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

November 23, 2022

Kristal Manko  
4061 S Mill  
Dryden, MI 48428

RE: License #: DG440404481  
**Kristal Manko**  
**4061 S Mill**  
**Dryden, MI 48428**

Dear Ms. Manko:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on November 22 2022, I found 1 violation(s) listed below and explained in the attached report:

- R 400.1916(5)(a) Outdoor play area and equipment.


You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

<b>During calendar year 2021:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Catherine Edgar". The script is cursive and fluid.

Catherine S. Edgar, Licensing Consultant  
Child Care Licensing Bureau  
611 W. Ottawa St. PO Box 30664  
Lansing, MI 48909  
(810) 931-1380

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DG440404481
<b>Licensee Name:</b>	Kristal Manko
<b>Licensee Address:</b>	4061 S Mill Dryden, MI 48428
<b>Licensee Telephone #:</b>	(248) 342-7906
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	Kristal Manko
<b>Facility Address:</b>	4061 S Mill Dryden, MI 48428
<b>Facility Telephone #:</b>	(248) 342-7906
<b>Original Issuance Date:</b>	06/03/2020
<b>Capacity:</b>	12
<b>Age Range:</b>	Ages Birth Thru 12 years

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 11/22/2022

	No. of Records Reviewed	
No. of children enrolled in care	22	10
No. of assistant caregivers employed	2	2
No. of child care children present at time of inspection	12	
No. of other children present at time of inspection	2	
No. of assistant caregivers present at time of inspection	2	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input checked="" type="checkbox"/>	

Approved child use space: The main floor of the home is approved for child care. This consists of a main room, a family room, and eat-in kitchen. The second floor landing and 2 bedrooms upstairs are approved for napping. The home has no basement. Exiting information (including second floor and basement): The main floor of the home has 3 remote exits. There is a designated window exit on the second floor of the home that meets licensing guidelines.

Approved variances -  No  Yes Description:

Key Indicator Inspection: No

### Additional information:

- Pets? No  Yes  If yes, describe.  
1 small dog.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.
- Fireplace or wood burning stove? No  Yes  If yes, describe.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.

## III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct

observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

**R 400.1920 Outdoor play area and equipment.**

**(5) When swings, climbers, slides, and other similar play equipment with a designated play surface above 30 inches are used, they must:**


**(a) Not be placed over concrete, asphalt, or a similar surface, such as hard-packed dirt or grass.**

At the time of the onsite inspection, the dome climber located in the outdoor play area did not have suitable ground cover at its perimeter.

A corrective action plan was requested and approved on 11/23/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

**IV. RECOMMENDATION**

I recommend issuance of a regular license to this child care group home (capacity 7-12).



November 23, 2022

---

Catherine S. Edgar  
Licensing Consultant

Date