



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 12, 2022

Kimberly Taylor
3627 Mystic Court
Adrian, MI 49221

RE: License #: DG460294652

RE: SI LOG #: **Kimberly Taylor
3627 Mystic Court
Adrian, MI 49221**

Dear Ms. Taylor:

This letter is to advise you that the 08/31/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R400.1908(1) Capacity.	On 8/19/22, Ms. Kim Taylor, licensee exceeded her licensed capacity of having more than 12 unrelated children present in care as she had an end of the summer party and had 18 unrelated children present in care with only two child care staff members being present. Ms. Taylor notified parents and had six children picked up from care while I was	I, Ms. Kim Taylor, licensee, was found in noncompliance of this licensing rule. On 8/19/22, I exceeded my licensed capacity of having more than 12 unrelated children present in care as I had an end of the summer party and had 18 unrelated children present in care with only two child care staff members being present. On 8/19/22 during my unannounced onsite renewal inspection, I notified parents and had six children picked up from	08/31/2022

	<p>onsite to come within compliance of the licensing rule of having no more than 12 unrelated children present in care.</p>	<p>care to come within compliance with my licensed capacity of 12 unrelated children being present in care. Moving forward, I will assure I maintain my licensed capacity by not having more than 12 unrelated children present in care at any given time. If I decide to have another end of summer party, I will have it during the weekends when my child care is not in operation and parents can remain onsite with their children. This violation has been corrected and will be maintained at all times.</p>	
<p>R400.1910(1) Ratio of personnel to children.</p>	<p>On 8/19/22, Ms. Kim Taylor, licensee exceeded the child care staff member to child ratio requirements of 1:6 at her child care home. Ms. Taylor had an end of the summer party and had 18 unrelated children present in care with only two child care staff members being present; an additional child care staff member was needed to fall within the acceptable child care staff member to child ratio requirements of 1:6. Ms. Taylor notified parents and had six children picked up from care while I was onsite to come within compliance with the child care staff member to child ratio requirements of 1:6.</p>	<p>I, Ms. Kim Taylor, licensee, was found in noncompliance of this licensing rule. On 8/19/22, Ms. Kim Taylor, licensee exceeded the child care staff member to child ratio requirements of 1:6 at my child care home. On 8/19/22, I had an end of the summer party and had 18 unrelated children present in care with only two child care staff members being present; an additional child care staff member was needed to fall within the acceptable child care staff member to child ratio requirements of 1:6. At the time of my renewal inspection, I notified parents and had six children picked up from care to come within compliance with the child care staff member to child ratio requirements of 1:6. If I decide to have another end of summer party, I will have it during the weekends when my child care is not in operation and parents can remain onsite with their children. This violation has</p>	<p>08/31/2022</p>

		been corrected and will be maintained at all times.	
R400.1934(4) Heating; ventilation; lighting; radon.	Ms. Kim Taylor, licensee did not have an acceptable radon gas test completed every four years at the time of renewal showing the concentration of radon gas are within an acceptable range of no more than 4 picocuries per liter of air in the lowest level of the child care home. Ms. Taylor is in the process of completing a new radon test and will forward a copy of the result to the department upon completion.	I, Ms. Kim Taylor, licensee, was found in noncompliance of this licensing rule. I will assure that I complete a radon test of my child care group home every four years at the time of renewal. My last radon test was completed on 10/02/08 with a radon result of 0.5 pCi/l. I am currently in the process of completing a new radon test and will forward a copy of the radon test results to the department. In the event that my radon level results exceed 4 picocuries per liter of air, I will notify the parents of the children in care and have a radon mitigation system installed in my childcare home. Upon completion of my radon test, I will forward a copy of radon test results to the department. This violation has been corrected and will be maintained.	08/31/2022

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,



Timothy A Swope, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 262-9838