



STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

GRETCHEN WHITMER
GOVERNOR

ORLENE HAWKS
DIRECTOR

May 15, 2023

Tina Rebottaro
5989 Pocklington Rd.
Tecumseh, MI 49286

RE: License #: DG460396015
Tina Rebottaro
5989 Pocklington Rd.
Tecumseh, MI 49286

Dear Ms Rebottaro:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 5/12/2023, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (527) 262-9838.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Timothy A. Swope". The signature is written in a cursive, flowing style.

Timothy A Swope, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 262-9838

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG460396015
Licensee Name:	Tina Rebottaro
Licensee Address:	5989 Pocklington Rd. Tecumseh, MI 49286
Licensee Telephone #:	(517) 423-4994
Licensee:	Tina Rebottaro
Name of Facility:	Tina Rebottaro
Facility Address:	5989 Pocklington Rd. Tecumseh, MI 49286
Facility Telephone #:	(517) 902-3565
Original Issuance Date:	11/09/2018
Capacity:	14
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 05/12/2023

		No. of Records Reviewed
No. of children enrolled in care	14	14
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	13	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input checked="" type="checkbox"/>

Approved child use space:

Ms. Tina Rebottaro resides in a two-story house with a basement located in a residential area of Tecumseh, Michigan. The rooms on the lower level (basement) approved for childcare meet the 35 sq. ft. requirement for each child. The lower level consists of two large playrooms for the children to use; there is also a bathroom located on the lower level of the home. The entire main and upper level of the home is not used for child care. The lower level (basement) is also used for conducting tornado drills or during actual tornado emergencies.

During my onsite inspection on 5/12/25, I observed the children during outdoor play, lunch, and freedom of choice activities. I also observed a parent drop off a child for care. All of the rooms were equipped with an adequate amount of age-appropriate play and learning equipment. Ms. Rebottaro provides the children with both structured and freedom of choice learning activities that include arts and craft activities. Child care staff member interaction with the childcare children was positive and nurturing.

Exiting information (including second floor and basement): The main level of the home has two remote door exits located in the front and rear of the home. The lower level uses two stairway exits; one that leads to the main level of the home and a separate stairway that leads to the garage.

Approved variances - No Yes Description: Ms. Rebottaro applied to have her capacity increased from 12 to 14 children. In addition, a variance was granted to licesning rule R400.1910(1) ratio of personnel to children. The ratio of personnel to children present in the home at any time will be 1 personnel to 7 children. For each member of the personnel, not more than 4 children under the age of 30 months, with not more than 2 of the 4 children

under the age of 18 months, still applies and is not impacted by this variance.

Key Indicator Inspection: No.

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
The main level contains an electric fireplace that is not used while children are in care.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-12).



05/15/2023

Timothy A Swope
Licensing Consultant

Date