



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

May 25, 2022

Kimberly Langworthy
17213 Frankay Way
Big Rapids, MI 49307

RE: Application #: DG540411797
Kimberly Langworthy
17213 Frankay Way
Big Rapids, MI 49307

Dear Ms. Langworthy:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 12 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

Amanda Wendell

Amanda Wendell, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(231) 492-5410

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DG540411797
Applicant Name:	Kimberly Langworthy
Applicant Address:	17213 Frankay Way Big Rapids, MI 49307
Applicant Telephone #:	(231) 629-5072
Licensee:	N/A
Name of Facility:	Kimberly Langworthy
Facility Address:	17213 Frankay Way Big Rapids, MI 49307
Facility Telephone #:	(231) 629-5072
Application Date:	02/09/2022
Capacity:	12
Program Type:	CHILD CARE GROUP HOME (CAPACITY 7-12)

II. METHODOLOGY

02/09/2022	Enrollment
02/22/2022	Application Incomplete Letter Sent needs everything
03/02/2022	Application Incomplete Letter Sent needs radon, furnace, w/h, health, fingerprints, tb for Justin
03/09/2022	Application Incomplete Letter Sent needs furnace, tb for Justin, health and fingerprint
03/15/2022	Inspection Completed-Env. Health : A
03/30/2022	Application Incomplete Letter Sent needs furnace and water heater and Justin's FP
03/30/2022	Inspection Completed-Heating Approved
03/31/2022	Application Incomplete Letter Sent Justin's fingerprint
04/25/2022	Application Incomplete Letter Sent Needs zoning approval. meeting is may 5th
05/09/2022	Application Complete/Orientation Needed
05/17/2022	Orientation Scheduled For- Pontiac/GR - Virtual
05/17/2022	Orientation Attended Pontiac/GR - Virtual
05/23/2022	Inspection Completed On-site

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

This group child care home is a two story, wood-framed structure with a full, finished basement. It is located near the intersection of Townline and 175th Ave.

Rooms and levels approved for child care use:

On the lower level, the child care room is approved for child care use. There is also a bathroom available to children on this level, just off the child care room. On the main level, the kitchen/dining room and living room approved for child care use. There is a bathroom available to children on this level, in the hallway off the living area.

Areas not approved:

On the lower level, the two bedrooms are not approved for child care use. On the main level, the master bedroom is not approved for child care use.

Ages of children served:

Ms. Langworthy will care for children ages birth to 17 years.

Equipment:

Ms. Langworthy has an adequate amount of developmentally appropriate indoor play equipment, and she has a discipline policy that reflects positive guidance and discipline techniques used to direct children’s behavior.

Proposed days and hours of operation:

The child care will operate from 6:00 A.M. to 5:30 P.M., Monday through Friday.

Previous or concurrent licenses, including children's foster care:

Ms. Langworthy has previously been licensed to provide child care under license number DF540388398. Ms. Langworthy is not currently, nor has she ever been, licensed to provide children’s foster care.

Exiting information (including second floor and basement):

Exiting from the lower level is available via the staircase to the main level and a door leading directly outside. Exiting from the main level is available via the front door and a side door to the lean-to.

Outdoor play area description:

The outdoor play area is the large back yard of the home. It is currently unfenced, although Ms. Langworthy intends to put up a fence. There are currently no climbing structures. Ms. Langworthy has basketball hoops, a play house, picnic table, play car, and balls available for children’s use.

Additional information:

- Pets? No Yes If yes, describe. There are two outdoor dogs.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns:

Explanation of variances, if any:

There are no variances granted for this facility.

B. Rule/Statutory Violations

At the time of the onsite inspection, there were no rule or statutory violations.

IV. RECOMMENDATION

I recommend issuance of an original license to this group child care home.

Amanda Wendell

05/25/2022

Amanda Wendell
Licensing Consultant

Date

Approved By:

Candice Case-French

05/25/2022

Candice Case-French
Area Manager

Date