



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

November 5, 2020

Lindsay Berry
 845 Woodcock
 Midland, MI 48640

RE: License #: DG560262672

RE: SI LOG #: **Lindsay H. Berry
 845 Woodcock
 Midland, MI 48640**

Dear Ms Berry:

This letter is to advise you that the 11/05/2020 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
400.1906(1ci, cii) Records of licensee; child care staff member; child care assistant	There was no verification of updated physicals for the licensee and staff member	Ms. Berry and her child care staff member will have the physical forms completed.	11/27/2020
400.1906 (1f) Records of licensee; child care staff member; child care assistant	There was no signed consent and disclosure forms for the licensee and staff member.	Ms. Berry will obtain another verification form and have one signed for her and her staff member	11/27/2020
400.1907 (2)	One child information record needed to be updated	Ms. Berry will have the form updated by the parent	11/27/2020

400.1907(3)	Attendance did not include the child's last name	Ms. Berry will add the child's last name to the attendance	11/27/2020
400.1919(3) Communicable disease; Immunization; mental and physical health; physician attestation; tuberculosis	A member of the household who is age 14 or older did not have a written evidence of freedom from communicable TB	Ms. Berry will assure that her child obtain a TB test this weekend and obtain a copy and send me verification.	11/27/2020
400.1931(8) Food preparation and service	Bottles used were not labeled with the child's first and last name along with the date.	Ms. Berry will add labels to the bottles with the infant's first and last name along with the date.	11/27/2020
400.1934(4) Heating' ventilation; lighting; radon	There was no verification of a current radon test	Ms. Berry will obtain a test through the local health department and complete the radon test	11/27/202
400.1945(2a-i) Emergency; plan drill	Ms. Berry did not have the necessary information on her emergency plans	Ms. Berry will add the required information to her emergency plans.	11/27/2020

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (231) 922-5309.

Sincerely,



Gezelle Myers, Licensing Consultant
Bureau of Community and Health Systems
1509 Washington, Ste A
Midland, MI 48640
(989) 798-4263