



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

November 17, 2021

Victoria Farver
4314 E Monroe
Midland, MI 48642

RE: License #: DG560302019

RE: SI LOG #: **Victoria Farver
4314 E Monroe
Midland, MI 48642**

Dear Ms. Farver:

This letter is to advise you that the 11/04/2021 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

| Violation cited | Noncompliance observed | Plan to correct | Date to be completed |
|--|--|--|----------------------|
| 400.1905 (3 b,c) Training | Neither Ms. Farver or her child care staff member completed a required training (MR1) | Ms. Farver assures she and her staff member will take the course. | 11/30/2021 |
| 400.1905 (4a-g) Training | Neither Ms. Farver or her child care staff member completed a required training, (MR2) | Ms. Farver assures she and her staff member will take the required course. | 11/30/2021 |
| 400.1907 (1bi, ii,iii) Child's Record | Seven children's files were missing a child in care statement | Ms. Farver assures she will have all parents fill out a child in care statement. | 11/30/2021 |
| 400.1907 (2) Child's Record | Nine child information records and 7 child in care | Ms. Farver assures she will have the parents update the records | 11/30/2021 |

| | | | |
|--|--|--|----------------|
| | statements needed to be updated. | | |
| 400.1934 (4)Heating; ventilation; lighting; radon | Ms. Farver did not have a current radon inspection | Ms. Farver assures she will obtain a radon test. | Within 30 days |

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (231) 922-5309.

Sincerely,



Gezelle Myers, Licensing Consultant
 Bureau of Community and Health Systems
 411 East Genesee
 PO Box 5070
 Saginaw, MI 48605
 (989) 798-4263