



STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

GRETCHEN WHITMER
GOVERNOR

ORLENE HAWKS
DIRECTOR

April 5, 2022

Heather Watkins
501 Wilson Drive
Midland, MI 48642

RE: License #: DG560375104
Heather Watkins
501 Wilson Dr
Midland, MI 48642

Dear Ms. Watkins:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 03/22/2022, I found two violations listed below and explained in the attached report.

- R 400.1905(6) Training.**
- R 400.1934(3) Heating; ventilation; lighting.**

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (989) 590-0191.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script that reads "Jeannie C. Ellis".

Jeannie Ellis, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(989) 590-0191

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG560375104
Licensee Name:	Heather Watkins
Licensee Address:	501 Wilson Drive Midland, MI 48642
Licensee Telephone #:	(231) 468-2621
Licensee:	N/A
Name of Facility:	Heather Watkins
Facility Address:	501 Wilson Dr Midland, MI 48642
Facility Telephone #:	(231) 878-8048
Original Issuance Date:	08/11/2015
Capacity:	12
Age Range:	Ages Birth Thru 5 years 0 months

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 03/22/2022

		No. of Records Reviewed
No. of children enrolled in care	15	6
No. of assistant caregivers employed	3	3
No. of child care children present at time of inspection	10	
No. of other children present at time of inspection	1	
No. of assistant caregivers present at time of inspection	2	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input checked="" type="checkbox"/>

Approved child use space: The approved child use area on the main floor includes the living room and kitchen. The approved child use area in the basement includes the play area, bathroom and kitchen.

Exiting information (including second floor and basement): Main floor: There is a door off the foyer on the main floor that leads to the front yard. There is another door off the kitchen that leads to the back yard. Basement: There is an egress window located that leads to the back yard. There is also the stairs that lead to the main floor.

Approved variances - No Yes Description:

Key Indicator Inspection: no.

Additional information:

- Pets? No Yes If yes, describe.
There are three dogs and two cats.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1905 Training.

(6) Completion of the required training must be verified by a document, signed by the trainer or an authorized individual, which must be kept on file or available online at MiRegistry.

There was no verification on file for the child care staff members. Ms. Watkins stated they have had trouble with MiRegistry and their training is now not showing up. She had some learning record print outs showing previous trainings completed on MiRegistry but I couldn't see any training at all on MiRegistry.

R 400.1934 Heating; ventilation; lighting.

(3) A carbon monoxide detector, bearing a safety certification mark of a recognized testing laboratory, such as UL (Underwriters Laboratories) or ETL (Electrotechnical Laboratory), must be placed on all levels approved for child care.

The carbon monoxide detector was missing for the basement which is the main child care area.

A corrective action plan was requested and approved on 03/22/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify

compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-12).

Jeannie C. Ellis

April 5, 2022

Jeannie Ellis
Licensing Consultant

Date