



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

November 30, 2022

Keyna Ancic  
5509 Ridgemont Ct.  
Midland, MI 48642

RE: License #: DG560412717  
Ancic, Keyna  
5509 Ridgemont Ct.  
Midland, MI 48642

Dear Mrs. Ancic:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the onsite inspection I observed parent drop off, free play, clean up time and transitioning. I observed the children to be in a routine and to have a nurturing relationship with the licensee and her assistant. I observed napping and infant safe sleep. I observed fine motor skill development and guided play with manipulatives appropriate to the children’s age and developmental level. I observed redirection and comforting of children as necessary and appropriate.

As a result of the renewal inspection on 11/29/2022, I did not find any rule or law violations. You will receive your regular license in the mail.

<b>During calendar year 2021:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

*Tania Allard*

Tania Allard, Licensing Consultant  
Child Care Licensing Bureau/LARA  
611 W. Ottawa St.  
P.O. Box 30664  
Lansing, MI 48909  
Cell Phone: 231-340-2138

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DG560412717
<b>Licensee Name:</b>	Keyna Ancic
<b>Licensee Address:</b>	5509 Ridgemont Ct. Midland, MI 48642
<b>Licensee Telephone #:</b>	(989) 837-7270
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	Ancic, Keyna
<b>Facility Address:</b>	5509 Ridgemont Ct. Midland, MI 48642
<b>Facility Telephone #:</b>	(989) 948-5291
<b>Original Issuance Date:</b>	06/21/2022
<b>Capacity:</b>	12
<b>Age Range:</b>	Ages Birth Thru 17 years

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 11/29/2022

	No. of Records Reviewed	
No. of children enrolled in care	11	11
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	7	
No. of other children present at time of inspection	1	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input checked="" type="checkbox"/>

Approved child use space: The child care room located in the finished basement is approved for child care use. The family room adjacent to the child care room is approved for infant sleeping only. The bathroom used by children is adjacent to the family room.

Exiting information (including second floor and basement): There are two exits to the approved basement level. The first exit is the stairs which provides egress to the main level of the home. The second exit is the egress window in the child care room which provides egress to the back yard of the home.

Approved variances -  No  Yes Description: There are no variances for this license at this time.

Key Indicator Inspection: This is not a key indicator inspection.

### Additional information:

- Pets? No  Yes  If yes, describe.  
One small dog, two indoor cats, no concerning behavior observed from the dog, the cats remained unseen.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.  
There are no water hazards on or near the premises.
- Fireplace or wood burning stove? No  Yes  If yes, describe.  
There is a wood burning fireplace on the main level of the home.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.  
It will not be used while children are in care.

### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

### IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-12).

*Tania Allard*

11/30/2022

---

Tania Allard  
Licensing Consultant

Date