



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

April 6, 2023

Sheila Bussell and Curtis Bussell
3505 Tippecanoe
Monroe, MI 48162

RE: License #: DG580285694
Sheila and Curtis Bussell
3505 Tippecanoe
Monroe, MI 48162

Dear Sheila Bussell and Curtis Bussell:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 3/30/2023, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730 .

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script that reads "Tanara Abner".

Tanara Abner, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG580285694
Licensee Name:	Sheila Bussell and Curtis Bussell
Licensee Address:	3505 Tippecanoe Monroe, MI 48162
Licensee Telephone #:	(734) 289-1518
Licensee:	N/A
Name of Facility:	Sheila and Curtis Bussell
Facility Address:	3505 Tippecanoe Monroe, MI 48162
Facility Telephone #:	(734) 289-1518
Original Issuance Date:	09/20/2006
Capacity:	12
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 03/30/2023

	No. of Records Reviewed	
No. of children enrolled in care	18	18
No. of assistant caregivers employed	4	4
No. of child care children present at time of inspection	8	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	2	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input checked="" type="checkbox"/>	

Approved child use space: Mrs. Bussell's residence is a bi-level house. The entry way, dining room, play room, family room, kitchen area, and bathroom on the main level are approved for child care. There are three bedrooms on the upper level approved for child care. The outdoor play area is located at the back of the house. The play area is partially fenced. There are also trees, bushes, and a large hill acting as both visual and physical barriers.

Exiting information (including second floor and basement): The main level has two remote doors for exits. The upper level using two stairs leading directly to the main level.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
The home contains one small dog.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
The backyard contains a small decorative pond that is enclosed by a fence. The house also sits within walking distance of Lake Erie. The outdoor play area is located at the back of the house. The play area is partially fenced. There are also trees, bushes, and a large hill acting as both visual and physical barriers to Lake Erie. The children are directly supervised at all times while they are outside.

- Fireplace or wood burning stove? No Yes If yes, describe.
The home contains an electric fireplace that is not used while children are in care.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes. Mrs. Bussell has a variety of play and learning equipment. I observed the children participate in a science experiment, free play and hand washing before lunch.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION



Tanara Abner
Licensing Consultant

4/5/2023
Date