



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

February 23, 2022

Amber Bruckner  
13912 W Albain  
Petersburg, MI 49270

RE: License #: DG580408567  
**Pine Row Preschool And Childcare**  
**13912 W Albain**  
**Petersburg, MI 49270**

Dear Ms. Bruckner:

Attached is the Addendum to the Original Licensing Study Report for the above referenced facility.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report must be filed in your licensing notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Timothy A Swope".

Timothy A Swope, Licensing Consultant  
Bureau of Community and Health Systems  
611 W. Ottawa Street  
P.O. Box 30664  
Lansing, MI 48909  
(517) 262-9838

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
ADDENDUM TO ORIGINAL LICENSING STUDY REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DG580408567
<b>Licensee Name:</b>	Amber Bruckner
<b>Licensee Address:</b>	13912 W Albain Petersburg, MI 49270
<b>Licensee Telephone #:</b>	(734) 347-5927
<b>Administrator/Licensee Designee:</b>	N/A
<b>Name of Facility:</b>	Pine Row Preschool And Childcare
<b>Facility Address:</b>	13912 W Albain Petersburg, MI 49270
<b>Facility Telephone #:</b>	(734) 347-5927
<b>Capacity:</b>	12
<b>Program Type:</b>	CHILD CARE GROUP HOME (CAPACITY 7-12)

## **II. Purpose of Addendum**

Ms. Amber Bruckner submitted a request for modification the terms of her license to change the age ranges of the children she provides care fro to include children ages 1 ½ to 12 years old.

## **III. Methodology**

02/23/2022: Modification Request Received

02/23/2022: On-site Inspection

05/08/2021: Environmental Health Inspection "A" Rating

## **IV. Description of Findings and Conclusions**

The terms of the original license have been modified on February 23, 2022.

Ms. Bruckner has been a licensed child care provider since August 8<sup>th</sup>, 2021. She resides in a one-story house with a basement in a located in rural area of Petersburg, Michigan. The lower level (basement) consists of a large open area that contains separate play and interest areas that include a preschool room and kitchenette that are approved for child use space. Due to an increase in demand, Ms. Bruckner has requested to change the ages ranges of children she provides care for to include children ages 1 ½ to 12 years old.

The lower level (basement) approved child use space have a sufficient amount of space to accommodate the licensed capacity of 12 children ages 1 ½ to 12 years old. The entire main level of the home is not approved for child care use. Ms. Bruckner operates Monday through Friday from 7:30 am until 4:30 pm, year-round.

There is a bathroom located on the lower level of the home for children's use. The home has adequate fire exits; the lower level of the home utilizes two remote exits with one being the stairway leading to the main level of the home and the other being a separate door that exits directly to grade.

Ms. Bruckner has completed the required radon testing on 12/20/2020 with a radon test result of 2.0 picocuries per liter of air. She is in compliance with the licensing standards of not more than 4 picocuries per liter of air.

**V. Recommendation**

I approve the change in age ranges of children cared for to include providing care for children from 1 ½ to 12 years old.



02/23/2022

---

Timothy A Swope  
Licensing Consultant

Date