



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

December 1, 2022

Karnemaat, Gillian AND Karnemaat, Jenna  
500 W Pine St.  
Fremont, MI 49412

RE: License #: DG620411587  
Boots & Bows Childcare  
500 W Pine St.  
Fremont, MI 49412

Dear Karnemaat, Gillian AND Karnemaat, Jenna:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 12/01/2022, I found 1 violation(s) listed below and explained in the attached report:

- R400.1941(2) Heat-producing equipment.**  
(2) Combustible materials and equipment must not be stored within 4 feet of furnaces, other flame or heat-producing equipment, or fuel-fired water heaters.

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

<b>During calendar year 2021:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>1</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Jeffrey Ball". The signature is written in a cursive style with a large, prominent "J" and "B".

Jeffrey Ball, Licensing Consultant  
Child Care Licensing Bureau  
611 West Ottawa  
P.O. Box 30664  
Lansing, MI 48909  
(616) 490-9570

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DG620411587
<b>Licensee Name:</b>	Karnemaat, Gillian AND Karnemaat, Jenna
<b>Licensee Address:</b>	500 W Pine St. Fremont, MI 49412
<b>Licensee Telephone #:</b>	(231) 740-5752
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	Boots & Bows Childcare
<b>Facility Address:</b>	500 W Pine St. Fremont, MI 49412
<b>Facility Telephone #:</b>	(231) 740-5752
<b>Original Issuance Date:</b>	05/25/2022
<b>Capacity:</b>	12
<b>Age Range:</b>	Ages Birth Thru 4 years 9 months

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 12/01/2022

		No. of Records Reviewed
No. of children enrolled in care	13	13
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	11	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input checked="" type="checkbox"/>	

Approved child use space: The basement level of the home is approved for child care use space.

Exiting information (including second floor and basement): Basement level exits include the slider and the stairs leading to the main level.

Approved variances -  No  Yes Description:

Key Indicator Inspection: No.

### Additional information:

- Pets? No  Yes  If yes, describe.  
One dog.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.  
There is a marsh located to the rear of the property past the fenced in backyard area. Gillian and Jenna Karnemaat will provide direct supervision to children at all times when outdoors.
- Fireplace or wood burning stove? No  Yes  If yes, describe.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.

## III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct

observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During my on-site inspection I observed child care children come in from outdoor play and getting ready for snack. I observed positive interactions between staff and children in care.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

**R 400.1941                      Heat-producing equipment.**

**(2) Combustible materials and equipment must not be stored within 4 feet of furnaces, other flame or heat-producing equipment, or fuel-fired water heaters.**

The furnace room had combustible materials stored within 4 feet of the furnace and water heater.

A corrective action plan was requested and approved on 12/01/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

#### **IV. RECOMMENDATION**

I recommend the renewal of this child care license.



12/01/2022

---

Jeffrey Ball  
Licensing Consultant

Date