



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

June 28, 2022

Valarie Solomon
21184 Sherman
Southfield, MI 48034

RE: License #: DG630262741
Valarie Solomon
21184 Sherman
Southfield, MI 48034

Dear Ms. Solomon:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 06/16/2022, I found 1 violation listed below and explained in the attached report:

R 400.1934 (4) Heating; ventilation; lighting; radon

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (248) 369-7892.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Alicia Wiggins". The signature is fluid and cursive, with the first name "Alicia" written in a larger, more prominent script than the last name "Wiggins".

Alicia Wiggins, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(248) 369-7892

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG630262741
Licensee Name:	Valarie Solomon
Licensee Address:	21184 Sherman Southfield, MI 48034
Licensee Telephone #:	
Licensee:	N/A
Name of Facility:	Valarie Solomon
Facility Address:	21184 Sherman Southfield, MI 48034
Facility Telephone #:	(313) 820-9916
Original Issuance Date:	01/15/2004
Capacity:	12
Age Range:	Ages Birth Thru 13 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s):

06/16/2022

	No. of Records Reviewed	
No. of children enrolled in care	0	0
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	0	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	☒	
Assistant Caregivers	☐	

Approved child use space: Basement

Exiting information (including second floor and basement): On the basement level, the exits are the stairs to the main floor, and the remotely located egress window.

Approved variances - ☒ No ☐ Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No ☐ Yes ☒ If yes, describe.
Ms. Solomon has one dog.
- Hot tubs or spa pool? No ☒ Yes ☐ If yes, are there appropriate barriers?
- Swimming pool? No ☒ Yes ☐ If yes, describe pool and barriers.
- Other water hazards? No ☒ Yes ☐ If yes, describe.
- Fireplace or wood burning stove? No ☒ Yes ☐ If yes, describe.
- Fireplace/wood burner in use during child care hours? No ☒ Yes ☐ If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment, discussions with staff, and a review of the home's records, including staff records. Staff records include background checks, medical clearance information, and training information.

There were no children enrolled in the program at the time of the on-site inspection.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1934 Heating; ventilation; lighting; radon.

(4) A licensee shall test the child care home for the concentration of radon gas before the initial license is issued and every 4 years thereafter at the time of license renewal.

Ms. Solomon did not have documentation of radon testing being completed. A radon test was completed on 07/21/2020, however, an error was found in the test. Ms. Solomon did not complete a new test in 2020.

Technical Assistance and Consultation were provided for the following:

- R 400.1919 (3) Communicable disease; immunization; mental and physical health; physician attestation; tuberculosis. We discussed that Ms. Solomon's daughter needs her TB test results on file.

A corrective action plan was requested and approved on 06/16/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-12).



June 28, 2022

Alicia Wiggins
Licensing Consultant

Date