



STATE OF MICHIGAN  
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
 LANSING

GRETCHEN WHITMER  
 GOVERNOR

ORLENE HAWKS  
 DIRECTOR

April 5, 2022

Natalia Urikh  
 Valentina Georgiyeva  
 2320 Isabell  
 Troy, MI 48083

RE: License #: DG630269549

RE: SI LOG #: **Blushing Bear Daycare**  
**2320 Isabell**  
**Troy, MI 48083**

Dear Ms. Urikh and Ms. Valentina:

This letter is to advise you that the 03/23/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Interim Inspection Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1905 (9) Training	Ms. Georgiyeva did not have documentation of the health and safety training refresher for 2021 for herself and her assistants.	We will make sure the training is all up to date for all documentation and training.	04/11/2022
R 400.1907 (1) Child's records.	I reviewed ten child information cards and five were missing one or more of the following: date of admission, special needs, allergies, special instructions, not dated by parent, emergency medical permission, doctors name	I will go over and check children's information cards with following parents.	04/11/2022

	and number, and work number.		
R 400.1907 (2) Child's records.	I reviewed ten children's files and one child information card and seven child in care statements were not updated annually.	I will go over and check children's information cards with following parents.	04/11/2022
R 400.1944 (1) Smoke detectors; fire extinguishers.	The smoke detector on the main floor was beeping.	We will replace batteries in main floor smoke detectors.	04/11/2022
R 400.1945(2) Emergency; plan; drill.	The written emergency procedures did not have a plan for continuing operations during or after a disaster.	We will add to emergency drill for continuing operations during or after a disaster.	04/11/2022
R 400.1945(2) Emergency; plan; drill.	The written emergency procedures did not have a plan for how children with special needs will be accommodated in all types of emergencies.	We will add to emergency drill for children with special needs.	04/11/2022
R 400.1945(2) Emergency; plan; drill.	The written emergency procedures did not have a plan for how children with chronic medical conditions will be accommodated in all types of emergencies.	We will add to emergency drill for children with chronic medical conditions.	04/11/2022

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,

A handwritten signature in cursive script that reads "Thomasa Bond". The signature is written in black ink and is positioned below the word "Sincerely,".

Thomasa Bond, Licensing Consultant  
Bureau of Community and Health Systems  
611 W. Ottawa Street  
P.O. Box 30664  
Lansing, MI 48909  
(248) 860-2439