



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

March 21, 2023

Natalie Coleman
143 Osceola Dr.
Pontiac, MI 48341

RE: License #: DG630284411
Natalie Coleman
143 Osceola Dr.
Pontiac, MI 48341

Dear Ms. Coleman:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 3/16/2023, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "J. Manchester". The signature is written in a cursive, flowing style.

Jinelle M. Manchester, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(313) 938-6141

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG630284411
Licensee Name:	Natalie Coleman
Licensee Address:	143 Osceola Dr. Pontiac, MI 48341
Licensee Telephone #:	(248) 874-1153
Licensee:	N/A
Name of Facility:	Natalie Coleman
Facility Address:	143 Osceola Dr. Pontiac, MI 48341
Facility Telephone #:	(248) 253-9055
Original Issuance Date:	09/19/2006
Capacity:	11
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s):

03/16/2023

	No. of Records Reviewed	
No. of children enrolled in care	21	21
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	6	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	☒	
Assistant Caregivers	☒	

Approved child use space: upstairs

Exiting information (including second floor and basement): stairs to front door and egress window with fire escape

Approved variances - ☒ No ☐ Yes Description:

Key Indicator Inspection: no

Additional information:

- Pets? No ☒ Yes ☐ If yes, describe.
- Hot tubs or spa pool? No ☒ Yes ☐ If yes, are there appropriate barriers?
- Swimming pool? No ☒ Yes ☐ If yes, describe pool and barriers.
- Other water hazards? No ☒ Yes ☐ If yes, describe.
- Fireplace or wood burning stove? No ☒ Yes ☐ If yes, describe.
- Fireplace/wood burner in use during child care hours? No ☒ Yes ☐ If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and

training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-12).

J. Manchester

3/21/2023

Jinelle M. Manchester
Licensing Consultant

Date