



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

September 7, 2022

Hui Yang and Songhua Yao  
1754 South Blvd.  
Rochester Hills, MI 48309

RE: License #: DG630298917  
**Hui Yang and Songhua Yao**  
**1754 South Blvd.**  
**Rochester Hills, MI 48309**

Dear Ms. Yang and Ms. Yao:

This letter is to advise you that the 08/31/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Interim Inspection Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R400.1905(4) Training.	Licensees Ms. Yao and Ms. Yang have not completed the required trainings. Child Care Staff member Mr. Dam has not completed the training.	All staff will complete the required trainings.	09/30/2022
R400.1907(2) Child's records.	Eight of the twelve child information cards and child in care statements had not been updated annually	The cards were updated.	08/19/2022
R400.1933(3) Water supply;	The hot water temperature of the bathroom sink the children use was 132	The hot water temperature was adjusted.	08/17/2022

sewage disposal; water temperature.	degrees at the time of my on-site inspection.		
R400.1944(3) Smoke detectors; fire extinguishers.	The pressure gauge was in the red for the fire extinguisher in the kitchen.	A new fire extinguisher will be purchased.	09/20/2022
R400.1945(1)(e)(iii)( iv) Emergency plans; drill.	Ms. Yao and Ms. Yang's written plan did not address these types of emergencies.	Plans have been completed for all related topics.	08/31/2022
R400.1945(2)(b)(e)( f)(h)(i) Emergency plans; drill.	Ms. Yao and Ms. Yang's written plan did not include this information.	Plans have been completed for all related topics.	08/31/2022

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,



Cheryl Amare, Licensing Consultant  
Bureau of Community and Health Systems  
611 W. Ottawa Street  
P.O. Box 30664  
Lansing, MI 48909  
(248) 860-0896