



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

April 21, 2023

Theresa Ward  
4300 Heatherstone Dr.  
Waterford, MI 48329

RE: License #: DG630309410  
**Teri L. Ward**  
**4300 Heatherstone Dr.**  
**Waterford, MI 48329**

Dear Ms. Ward:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 4/19/23, I found 2 violation(s) listed below and explained in the attached report:

- R 400.1904a(2)(a) Child care staff member; employment requirements.
- R 400.1944(1) Smoke detectors; fire extinguishers.

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

<b>During calendar year 2022:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Bagvati Yedur, Licensing Consultant  
Bureau of Community and Health Systems  
611 W. Ottawa Street  
P.O. Box 30664  
Lansing, MI 48909  
(248) 736-1869

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DG630309410
<b>Licensee Name:</b>	Theresa Ward
<b>Licensee Address:</b>	4300 Heatherstone Dr. Waterford, MI 48329
<b>Licensee Telephone #:</b>	(248) 674-2526
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	Teri L. Ward
<b>Facility Address:</b>	4300 Heatherstone Dr. Waterford, MI 48329
<b>Facility Telephone #:</b>	(248) 561-3731
<b>Original Issuance Date:</b>	10/25/2010
<b>Capacity:</b>	14
<b>Age Range:</b>	Ages Birth Thru 17 years

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 04/19/2023

		No. of Records Reviewed
No. of children enrolled in care	10	10
No. of assistant caregivers employed	2	2
No. of child care children present at time of inspection	10	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input checked="" type="checkbox"/>

Approved child use space: All areas on the main floor. The bedrooms upstairs are only used or sleeping purposes.

Exiting information (including second floor and basement): The basement is not used for child care. An exit has been identified on the second floor.

Approved variances -  No  Yes Description: The ratio for staff member to children is 1:7. The variance for rule R 400.1910(1) has been approved.

Key Indicator Inspection: No

### Additional information:

- Pets? No  Yes  If yes, describe.  
1 dog
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.
- Fireplace or wood burning stove? No  Yes  If yes, describe.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.

## III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff,

and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

**R 400.1904a          Child care staff member; employment requirements.**

**(2) Before caring for children at a child care home, an individual shall provide the licensee with all of the following:**

**(a) A valid certification in infant, child, and adult CPR.**

One of the assistant caregivers did not have a certified CPR training on file.

**R 400.1944          Smoke detectors; fire extinguishers.**

**(1) Operable smoke detectors approved by a nationally recognized testing laboratory must be installed and maintained on each floor of the home, including the basement, and in all sleeping areas and bedrooms used by children in care.**

One of the bedrooms upstairs did not have a working smoke detector.

A corrective action plan was requested and approved on 04/19/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

Technical assistance was provided regarding labeling the containers of food brought from home with first and last name of the child.

**IV. RECOMMENDATION**

I recommend issuance of a regular license to this child care home.



4/21/23

---

Bagvati Yedur  
Licensing Consultant

Date