



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 14, 2022

Emily Street
7960 Lodge St
Waterford, MI 48327

RE: License #: DG630411862
Emily Street
7960 Lodge St
Waterford, MI 48327

Dear Ms. Street:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 9/14/22, I found two violation(s) listed below and explained in the attached report:

- R 400.1924(2)(a) Hand washing.
- R 400.1933(4) Water supply; sewage disposal; water temperature.

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

Handwritten signature in black ink, appearing to read "B. Yedur".

Bagvati Yedur, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(248) 736-1869

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG630411862
Licensee Name:	Emily Street
Licensee Address:	7960 Lodge St Waterford, MI 48327
Licensee Telephone #:	(231) 570-2201
Licensee:	N/A
Name of Facility:	Emily Street
Facility Address:	7960 Lodge St Waterford, MI 48327
Facility Telephone #:	(231) 570-2201
Original Issuance Date:	03/22/2022
Capacity:	12
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 09/14/2022

		No. of Records Reviewed
No. of children enrolled in care	14	10
No. of assistant caregivers employed	2	2
No. of child care children present at time of inspection	8	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input checked="" type="checkbox"/>	

Approved child use space: Entire main floor except the master bedroom and the master bathroom.

Exiting information (including second floor and basement): There is no second floor or the basement to this child care home..

Approved variances - No Yes Description:

Key Indicator Inspection: No.

Additional information:

- Pets? No Yes If yes, describe.
Two dogs.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1924 Hand washing.

(2) Personnel shall ensure that children wash their hands at all of the following times:

(a) Before and after meals, snacks, or food preparation experiences.

Personnel did not ensure that the children washed hands before meals.

R 400.1933 Water supply; sewage disposal; water temperature.

(4) Hot water temperature must not exceed 120 degrees Fahrenheit at water faucets accessible to children.

The hot water temperature exceeded 120 degrees Fahrenheit at a water faucet that was accessible to the children.

Technical assistance was provided regarding the following:

1. Surface ground covering for the swings; the licensee understands that the children cannot use the swings until the ground covering is complete.

2. The pet food and the hose on the way to the outdoor play area needs to be kept away from the children.

3. The employer phone number to be entered in all of the child information cards.

4. The torn couch needs to be replaced. The licensee understands that the couch be covered until it is replaced.

A corrective action plan was requested and approved on 09/14/2022. It is expected that the corrective action plan be implemented within the specified time frames as

outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care home with a capacity of 7-12 children.



9/14/22

Bagvati Yedur
Licensing Consultant

Date