



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

April 12, 2022

Laura Hesselink
 22073 90th Ave
 Marion, MI 49665

RE: License #: DG670362161
Laura Hesselink
22073 90th Ave
Marion, MI 49665

Dear Mrs. Hesselink:

This letter is a follow-up to the Department’s findings regarding the interim inspection conducted at your home on 03/02/2022. The purpose of this inspection was to determine compliance with applicable licensing statutes and administrative rules for Family and Group Child Care Homes.

At the time of this onsite inspection, there were three children in care. I observed infant feeding and children engaged in free play. The caregiver was attentive to the needs of the children, and their needs were met promptly. I did not observe any safety concerns.

As a result of the inspection, I did not find any rule or law violations.


During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

You can find a copy of this inspection letter and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when inspection letters are completed can be found under [Overview of Licensing Reports](#).

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Linda Strube". The signature is written in a cursive, slightly slanted style.

Linda Strube, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(231) 215-4608