



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

Michelle Richard
ACTING DIRECTOR

Report Type : Addendum to Original Report
Inspection Type: N/A

Date of Inspection: N/A
Date of Report: 4/25/2024

Licensee Name(s)	License Number	Capacity
Michele Ellsworth	DG710363057	12
Facility Name	Program Type	
Michele Ellsworth	Group Home	
Facility Address	Mailing Address	
17786 US 23 South, Presque Isle, MI, 49777	2578 U.S. 23, Alpena, MI, 49707	
Facility Phone Number	Facility Email Address	
9895950260	michele_ellsworth19672000@yahoo.com	

Findings of the Inspection

Purpose of Addendum: The purpose of this addendum is to change the hours of operation to 8:00pm to 5:00am. This change is due to Michelle Ellsworth working full time as program director at her center in Alpena.

Findings and Conclusions: The hours of operation is the only modification to this group child care license at this time.

If you have questions regarding the report, please contact licensing consultant, Jeannie Ellis at (989) 590-0191 or ellisj2@michigan.gov. In the event that Jeannie Ellis is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Description of Facility
This is a single story raised ranch style home with a basement located in Presque Isle.

Approved Child Use Space	
Room	Notes
Kitchen-main floor	
Room	Notes
Dining room- main floor	
Room	Notes

Living room	
<i>Room</i>	<i>Notes</i>
Bedroom 1- Basement	
<i>Room</i>	<i>Notes</i>
Bedroom 1-main floor	
<i>Room</i>	<i>Notes</i>
Bedroom 2-main floor	
<i>Room</i>	<i>Notes</i>
Bedroom 3- main floor	
<i>Room</i>	<i>Notes</i>
Kitchen/dining room- basement	
<i>Room</i>	<i>Notes</i>
Bedroom 2- basement	
<i>Room</i>	<i>Notes</i>
Entryway- basement	
<i>Room</i>	<i>Notes</i>
playroom- basement	
Exits in the Home	There are three exits from the main floor. Exit one is located off the living room and provides egress to the back yard of the home. Exit two is located off the kitchen providing egress to the side yard of the home. The third exit is located off the dining room and provides egress onto the wrap around deck. There are two exits from the basement. Exit one is located off the entry way and provides egress directly at grade. The second exit is the stairs to the main floor.
Spaces Not Approved	
Restroom(s) Used By Children in Care	There is a restroom on the main floor and in the basement. Both are approved for child use.
Fireplaces/Wood Burning Stoves	There are no wood burning fireplaces or stoves.
Pets	There are no pets in this home.

Documentation of Required Inspections		
Type of Inspection	Date of Inspection	Findings

Description of Outdoor Play Area		
Location	Fenced	Outdoor Hazards
The outdoor play area is located in the back yard of the home. The area is completely fenced.	Fully fenced in area	The home is located on US 23 North across from Lake Huron. The home sits approximately 200 yards from US 23.

Hours of Operation						
Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
8:00 PM To 05:00 AM	8:00 PM To 05:00 AM	8:00 PM To 05:00 AM	8:00 PM To 05:00 AM	8:00 PM To 05:00 AM		

Terms, Program Components, and Variances						
Full Time or Part Time Care	Months of Operation	Care Before 6 AM	Care After 6 PM	Overnight Care	Weekend Care	
Part Time	Year Round	No	No	No	No	
Ages of Children Served	Birth - 17 years					
Previous or Concurrent Licenses, Including Children's Foster Care						
Variances						

Recommendation	
I recommend the change in hours of operation to 8:00pm- 5:00am..	
Approved By:	
<i>Jeannie C. Ellis</i>	
04/25/2024	
Jeannie Ellis	Date
Licensing Consultant	