



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL  
LANSING

Michelle Richard  
ACTING DIRECTOR

**Report Type:** Renewal  
**Inspection Type:** Renewal

**Date of Inspection:** 4/3/2024  
**Date of Report:** 4/5/2024

Licensee Name(s)	License Number	Capacity
Janel Ironside	DG730088781	14
Facility Name	Program Type	
Janel Ironside	Group Home	
Facility Address	Mailing Address	
6015 S Graham, St Charles, MI, 48655	6015 S Graham, St Charles, MI, 48655	
Facility Phone Number	Facility Email Address	
9892390429	janelironside72@gmail.com	

### Findings of the Inspection

A copy of this renewal inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

The renewal inspection involved a review of all applicable child care center [administrative rules](#) and [statutes](#). Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center’s records, including staff records and children’s records. Staff records include background checks and training information. Children’s records include child information cards, physical examination dates, and immunizations.

During the onsite inspection, I observed the caregivers providing direct supervision to children napping during rest time. I observed safe sleep practices being utilized for the infants. I observed children transitioning from rest time to free play activities. I observed the children during free play activities which included large gross motor activities such as playing chase. I observed hand washing and snack time. The children appeared happy and well bonded to the caregivers. The home was clean and safe for children’s use. Required records were organized and readily available for review.

As a result of the renewal inspection(s) on 4/3/2024, licensing consultant Mary Smith did not find any rule or law violations. A regular license will be issued.


If you have any questions regarding the report, please contact licensing consultant, Mary Smith, at (989) 780-0924. In the event that Mary Smith is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

<b>Inspection Details</b>		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
483	0	0
<i>Number of Children's Records Reviewed: Number of Children Enrolled</i>	<i>Number of Staff Employed: Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers: Number of Volunteer Files Reviewed</i>
10: 12	2: 2	0: 0
<i>Number of Children Observed: Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed: Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
8: 8	2: 2	0: 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes	Yes	There is one small dog (French Bull dog).
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
There is a hot tub located in the back yard which has a hard top and has a six foot fence around it which is kept pad locked at all times. There are no other hazards on the property.	Ms. Ironside has designated the back yard for outdoor play activities. The back yard is completely fenced in. There is pea stone installed for the play equipment, as required. Ms. Ironside understands that she must provide direct supervision at all times.	

<b>Documentation of Required Inspections</b>		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
Water Heater Inspection	2/21/2024	GW Heating & Air Conditioning Co completed a furnace and hot water heater inspection. Found in good working condition.
Furnace Inspection	2/21/2024	GW Heating & Air Conditioning Co completed a furnace and hot water heater inspection. Found in good working condition.
Radon Test	3/7/2024	0.3 pCi/L

Hours of Operation						
Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
05:30 AM To 5:30 PM	05:30 AM To 5:30 PM	05:30 AM To 5:30 PM	05:30 AM To 5:30 PM	05:30 AM To 5:30 PM		

Bureau Recommendation
I recommend issuance of a regular license to this child care group home.

<b>Approved By:</b>			
			
Mary Smith Licensing Consultant	Date 4/5/2024		