



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

October 5, 2022

Gwennika Rohelia
610 S. 17th St
Saginaw, MI 48601

RE: Application #: DG730412574
Rohelia, Gwennika
610 S. 17th St
Saginaw, MI 48601

Dear Ms. Rohelia:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 12 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Takiyah Jackson".

Takiyah Jackson, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Saginaw, MI 48909
(989) 220-8026

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DG730412574
Applicant Name:	Gwennika Rohelia
Applicant Address:	610 S. 17th St Saginaw, MI 48601
Applicant Telephone #:	(989) 443-5485
Licensee:	Gwennika Rohelia
Name of Facility:	Rohelia, Gwennika
Facility Address:	610 S. 17th St Saginaw, MI 48601
Facility Telephone #:	(989) 443-5485
Application Date:	04/26/2022
Capacity:	12
Program Type:	CHILD CARE GROUP HOME (CAPACITY 7-12)

II. METHODOLOGY

04/26/2022	Enrollment
05/05/2022	Application Incomplete Letter Sent needs signed app, suppl needs emergency person, safe sleep, Course 1& 2, cc-001, fingerprint, radon test, furnace, and hot water inspection
06/22/2022	Inspection Completed-Heating Approved
06/29/2022	Application Incomplete Letter Sent needs hot water inspection and radon test has to be done in basement
07/12/2022	Application Complete/Orientation Needed
07/14/2022	Orientation Scheduled For- Lansing - Virtual
07/14/2022	Orientation Attended Lansing - Virtual
07/21/2022	Contact - Document Received Email received from Gwennika Rohelia to schedule inspection
07/21/2022	Contact - Document Sent Email was sent to Ms. Rohelia to inform original home inspection checklist would be sent to her.
08/08/2022	Contact - Document Received Email received to set up home inspection
08/08/2022	Contact - Document Sent Home Inspection scheduled for 8/12/2022
08/10/2022	Contact - Document Sent Email was sent to reschedule inspection scheduled on 8/12/2022 to ensure consultant can be accompanied by consultant, M. Smith for first original home inspection.
08/15/2022	Contact - Document Sent Email sent to set up home inspection. Inspection scheduled for 8/18/2022 to be accompanied by consultant, M. Smith
08/18/2022	Inspection Completed On-site Inspection completed by T Jackson and M Smith
08/18/2022	Technical Assistance

TA provided on R 400.1903 (5) Licensee Responsibilities regarding her mother, Anna Rohelia residing or being present in the home during child care hours - prohibited

- 08/18/2022 Contact - Telephone call made
Phone contact made with area manager, R. Rafferty by M. Smith
Follow up with Disciplinary Action Unit (DAU).
- 08/23/2022 Contact - Document Received
Photos received of mounted fire extinguisher and correct size
- 08/24/2022 Contact - Document Sent
Email sent informing DAU will be contacted regarding Ms. Rohelia's initial statement that Anna Rohelia resided in the home; bought house on Ruckle St., possibly moving to Florida in two years.
- 08/30/2022 Contact - Document Received
Email received from Ms. Rohelia to follow up on what's needed to obtain license. Things needed: Speak with DAU, photo of Anna Rohelia's driver's license to verify new address, written statement Anna Rohelia will not be in the home at any time during child care hours of operation.
- 10/05/2022 Contact - Document Received – Notarized statement regarding sale of home
- 10/05/2022 Inspection Completed – BCAL Full Compliance

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

The child care group home is in a two-story home within a residential area of Saginaw, Michigan. The nearest cross streets are Perkins Street and Walnut Street.

Rooms and levels approved for child care use: Ms. Rohelia will use the living room, kitchen/dining room on the main floor and two bedrooms on the second level of the home for child care. There are full bathrooms on the main floor and second level available for children's use.

Areas not approved: The master bedroom located on the second level is not approved for child care use space. The basement is not approved for child care use space. The basement may be used as a storm shelter only.

Ages of children served: Ms. Rohelia will provide care for children ages birth through 12 years.

Equipment: Ms. Rohelia has an adequate amount of equipment available for all ages of children and for the requested capacity of 12 children.

Proposed days and hours of operation: Ms. Rohelia will operate 12:00 a.m. through 11:59 p.m. Monday through Friday. Ms. Rohelia understands that if nighttime care is provided, children must sleep in age appropriate cribs and/or beds and a child care staff member must be on the same floor as sleeping children.

Previous or concurrent licenses, including children's foster care: Ms. Rohelia has no previous or concurrent licenses.

Exiting information (including second floor and basement): The main level has three remote exits; the front door which is used as the main entrance and the side and back doors which lead to the outside from the kitchen area. The second level has a window and stairs leading down to the main floor. The basement has a window and stairs leading up to the main floor. The basement is not approved for child care use.

Outdoor play area description: Ms. Rohelia has designated the backyard for outdoor play which is completely fenced in. Ms. Rohelia will provide direct supervision of the children during all outdoor play activities. The play area does not have outdoor play equipment that requires a cushioned surface. There are no water hazards on the property.

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns:

Explanation of variances, if any: There are no variances.

B. Rule/Statutory Violations

There were no rule/statutory violations.

IV. RECOMMENDATION

I recommend issuance of an original license to this child care group home (capacity 1-12).



10/05/2022

Takiyah Jackson
Licensing Consultant

Date

Approved By:



10/05/2022

Rose A. Rafferty
Area Manager

Date