



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

DR BEVERLY WALKER
GRIFFEA
ACTING DIRECTOR

Report Type : Interim
Inspection Type: Interim

Date of Inspection: 8/21/2024
Date of Report: 8/21/2024

Licensee Name(s)	License Number	Capacity
Jennifer B Lashbrook	DG740097053	14
Facility Name	Program Type	
Lashbrook Jennifer	Group Home	
Facility Address	Mailing Address	
76 Rella Rae, Marysville, MI, 480400682	76 Rella Rae, Marysville, MI, 48040	
Facility Phone Number	Facility Email Address	
(810) 388-0682	lashbrook82@gmail.com	

Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Group Home

During the Interim inspection, licensing consultant RaSheeda Mitchell found 0 violations.

If you have any questions regarding the report, please contact licensing consultant, RaSheeda Mitchell, at (248) 762-1915. In the event that RaSheeda Mitchell is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
219	0	3
<i>Number of Children's Records Reviewed: Number of Children Enrolled</i>	<i>Number of Staff Employed: Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers: Number of Volunteer Files Reviewed</i>
10:15	2:2	: 0
<i>Number of Children Observed: Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed: Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
13:13	2:2	0:0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	Pets
Yes	Yes	
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
An above ground pool is located in the back yard of the home in the area used by the child care children. The pool is at least 4ft tall and has a secure lock at the stairs/deck gate leading to the pool.	The children utilize the back yard of the home. The space if fully fenced.	

Technical Assistance	
Rule Number	Rule
R 400.1945(2)(g)	A plan for how infants and toddlers will be accommodated in all types of emergencies.
R 400.1945(2)(i)	A plan for how children with chronic medical conditions will be accommodated in all types of emergencies.
R 400.1921(11)	The emergency plan in R 400.1945 must include procedures for water emergencies.

Bureau Recommendation
I recommend no change in the status of the license.

Approved By:			
			
RaSheeda Mitchell Licensing Consultant	08/21/2024 Date		