



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

Michelle Richard
ACTING DIRECTOR

Report Type : Interim
Inspection Type: Interim

Date of Inspection: 4/23/2024
Date of Report: 4/23/2024

Licensee Name(s)	License Number	Capacity
Courtney Deroshia	DG750413034	14
Facility Name	Program Type	
Courtney Deroshia	Group Home	
Facility Address	Mailing Address	
1201 Myrtle Sturgis, MI 49091	1201 Myrtle Sturgis, MI 49091	
Facility Phone Number	Facility Email Address	
2693191181	cderoshia@aol.com	

Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Group Home.

During the Interim inspection, licensing consultant Carrie Harris found 2 violations. The violations are listed and explained below. An acceptable written corrective action plan was received on 4/23/2024.

If you have any questions regarding the report, please contact licensing consultant, Carrie Harris, at (269) 615-5617. In the event that Carrie Harris is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
204	1	1
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Staff Employed : Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers : Number of Volunteer Files Reviewed</i>
8 : 16	4 : 4	0 : 0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
14 : 14	3 : 3	0 : 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes	Yes	The group home has two cats.
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
There are no water hazards or other hazards on the premises.	The outdoor play area is located behind the home and is fenced. It has both a climbing structure over mulch and portable outdoor play equipment.	

Documentation of Required Inspections		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
Fuel-Fired Furnace Inspection Results	7/7/2022	In good working condition.
Water Heater Inspection Result	7/7/2022	In good working condition.
Radon Test results	7/10/2022	Results measured at 1.7 pCi/L on the basement level of the home.

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
R 400.1907(1)(a)	Child's record. A completed child information card on a form provided by the department or a comparable substitute approved by the department.	I reviewed eight child information cards, and seven of the eight cards were missing required information such as admission dates, release information, the date the parent completed the document, physician information, and allergies and special needs.	Violation Established

R 400.1919(3)	<p>Communicable disease; immunization; mental and physical health; physician attestation; tuberculosis.</p> <p>An applicant, licensee, child care staff member, child care assistant, and a member of the household who is age 14 or older shall provide written evidence of freedom from communicable tuberculosis (TB) prior to caring for children or living in the child care home.</p>	<p>One child care staff member did not have evidence of a negative TB test within one year of employment. The child care staff member started employment in 2022, but the TB test on file was from 2014.</p>	<p>Repeat Violation Established</p> <p>Reference: 3/9/2023: Violation Established.</p>
---------------	---	--	--

Technical Assistance	
Rule Number	Rule
R 400.1932(1)	<p>The structure, premises, and furnishings of a child care home must be in good repair and maintained in a clean, safe, and comfortable condition.</p>

Bureau Recommendation
<p>You have submitted an acceptable corrective action plan. I recommend no change in the status of the license.</p>

Approved By:			
<p><i>Carrie Harris</i> Carrie Harris Licensing Consultant</p>	<p>04/23/2024 Date</p>		