



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

March 15, 2023

Jill Particka
 240 Austin Street
 Sandusky, MI 48471

RE: License #: DG760405218
Kidz Care
240 Austin Street
Sandusky, MI 48471

Dear Ms. Particka:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on 3/15/2023, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Lisa Gundry". The signature is written in a cursive, flowing style.

Lisa Gundry, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
PO Box 30664
Lansing, MI 48909-8164
(810) 931-1220

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG760405218
Licensee Name:	Jill Particka
Licensee Address:	240 Austin Street Sandusky, MI 48471
Licensee Telephone #:	(810) 841-7638
Licensee:	N/A
Name of Facility:	Kidz Care
Facility Address:	240 Austin Street Sandusky, MI 48471
Facility Telephone #:	(810) 841-7638
Original Issuance Date:	11/09/2020
Capacity:	12
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 03/15/2023

		No. of Records Reviewed
No. of children enrolled in care	21	10
No. of assistant caregivers employed	4	4
No. of child care children present at time of inspection	12	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	2	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input checked="" type="checkbox"/>

Approved child use space: The front living room, ea-in kitchen, den (play and nap area), nap bedroom and bathroom located near the den

Exiting information (including second floor and basement): The main floor has 2 remote exits

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
1 dog
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.


The facility is in compliance with all applicable rules and statutes.

At the time of the inspection, technical assistance and consultation was provided to Ms. Particka on the following rules:

- Water temperature requirements, turned down onsite
- The 2021 Health and Safety for Ms. Particka (private link was emailed to her).
- Training requirements for child care staff members

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-12).



3/15/23

Lisa Gundry
Licensing Consultant

Date