



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

April 14, 2022

Linda Boulard
 3695 Pheasant Drive
 Ann Arbor, MI 48103

RE: License #: DG810243113
Linda Boulard
3695 Pheasant Dr.
Ann Arbor, MI 48103

Dear Ms. Boulard:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 4/8/2022, I found one violation. The violation is listed below and explained in the attached report:
 R400.1908(1) Capacity


You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script that reads "Dalerie Hughes".

Dalerie Hughes, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 284-9730

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG810243113
Licensee Name:	Linda Boulard
Licensee Address:	3695 Pheasant Drive Ann Arbor, MI 48103
Licensee Telephone #:	
Licensee:	N/A
Name of Facility:	Linda Boulard
Facility Address:	3695 Pheasant Dr. Ann Arbor, MI 48103
Facility Telephone #:	(734) 994-6558
Original Issuance Date:	10/19/2001
Capacity:	12
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 04/08/2022

		No. of Records Reviewed
No. of children enrolled in care	12	12
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	13	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	,	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee <input checked="" type="checkbox"/>	
	Assistant Caregivers <input type="checkbox"/>	

Approved child use space: Main Floor of the home

Exiting information (including second floor and basement): There are two remote exits that include a front door and side door off the main play room.

Approved variances - No Yes Description:

Key Indicator Inspection: no

Additional information:

- Pets? No Yes If yes, describe.
1 Dog
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
There is a fireplace in the Great Room, which is the main playroom. The fireplace is padded around the hearth to protect children from injuries.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the on-site inspection, children were observed engaging in developmentally appropriate activities and eating lunch. Meal preparation was also observed. The facility is equipped with a variety of developmentally appropriate equipment. The child care staff members and child interactions were very nurturing and positive.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1908

Capacity.

(1) The licensee shall ensure that the actual number of unrelated children in care at any 1 time does not exceed the number of children for which the child care home is licensed, not more than 6 children for a family child care home and not more than 12 children for a group child care home.

Licensee had thirteen children present, as she reported the child's parent had an emergency and needed child care for the day.

A corrective action plan was requested and approved on 04/08/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-12).

Dalerie Hughes

April 14, 2022

Dalerie Hughes
Licensing Consultant

Date