



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

August 23, 2022

Felicia Davis  
12498 Mendota  
Detroit, MI 48204

RE: License #: DG820243479  
**Little Bubbles Daycare**  
**12498 Mendota**  
**Detroit, MI 48204**

Dear Ms Davis:

Attached is the Addendum to the Original Licensing Study Report for the above referenced facility.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (313) 456-0380.

Per MCL 722.113g, this report must be filed in your licensing notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Laura Piacentini".

Laura Piacentini, Licensing Consultant  
Department of Licensing and Regulatory Affairs  
Child Care Licensing Bureau  
611 W. Ottawa Street  
P.O. Box 30664  
Lansing, MI 48909  
313-269-5879  
enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
ADDENDUM TO ORIGINAL LICENSING STUDY REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DG820243479
<b>Licensee Name:</b>	Felicia Davis
<b>Licensee Address:</b>	12498 Mendota Detroit, MI 48204
<b>Licensee Telephone #:</b>	(313) 934-9028
<b>Administrator/Licensee Designee:</b>	N/A
<b>Name of Facility:</b>	Little Bubbles Daycare
<b>Facility Address:</b>	12498 Mendota Detroit, MI 48204
<b>Facility Telephone #:</b>	(313) 934-9028
<b>Capacity:</b>	14
<b>Program Type:</b>	CHILD CARE GROUP HOME (CAPACITY 7-14)

## **II. Purpose of Addendum**

The Licensee requests to add a bedroom on the main floor as well as to provide overnight care to the terms of her license.

## **III. Methodology**

08/16/2022 Onsite inspection for renewal, inspected rooms wanting to be approved

08/18/2022 Contact – Document received, request for modification

## **IV. Description of Findings and Conclusions**

### **A. Description of Facility**

The daycare is located in a residential area. This is a two family flat. Each resident has their own entrance. The daycare is located near the intersections of Grand River and Wyoming. The approved childcare area is located in the basement of the home. There is an area for eating and napping in the basement.

There is a restroom located in the basement for toileting and hand washing. The basement measures at 415 sq ft. This area is large enough to accommodate 12 children at any one time.

There is a fenced outdoor play area.

Ages of children served:

The ages of children served are birth to 17 years of age

### **Hours of operation:**

The days and hours of operation are 24 hours

### **Exiting information:**


There are two exits from the basement. One is an approved egress window and the other is the stair case leading upstairs to the back door. The exits for the main floor bedroom are the front door and the door in the bedroom leading to the back yard.

The terms of the original license have been modified on 07/28/2022 for increased capacity and 08/19/2022

In addition to the basement, the left bedroom on the main floor is approved for use. The licensee is approved for overnight care and hours of operation are 24 hours

**V. Recommendation**

I recommend the change of approved child use space to include the bedroom on the main floor of the home and to provide overnight care.



08/23/2022

---

Laura Piacentini  
Licensing Consultant

Date