



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 17, 2022

Felicia Davis
12498 Mendota
Detroit, MI 48204

RE: License #: DG820243479
Little Bubbles Daycare
12498 Mendota
Detroit, MI 48204

Dear Ms Davis:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 08/17/2022, I found 1 violation(s) listed below and explained in the attached report:

400.1915(2) Indoor space; play equipment and materials

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Laura Piacentini". The signature is fluid and cursive, with a long horizontal stroke at the end.

Laura Piacentini, Licensing Consultant
Department of Licensing and Regulatory Affairs
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
313-269-5879
enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License#:	DG820243479
Licensee Name:	Felicia Davis
Licensee Address:	12498 Mendota Detroit, MI 48204
Licensee Telephone #:	(313) 934-9028
Licensee:	N/A
Name of Facility:	Little Bubbles Daycare
Facility Address:	12498 Mendota Detroit, MI 48204
Facility Telephone #:	(313) 934-9028
Original Issuance Date:	02/13/2002
Capacity:	14
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 08/17/2022

	No. of Records Reviewed	
No. of children enrolled in care	16	11
No. of assistant caregivers employed	3	3
No. of child care children present at time of inspection	6	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	3	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: Basement

Exiting information (including second floor and basement): Approved egress window leading to the side of the house, main stairs leading upstairs to backdoor and driveway

Approved variances - No Yes Description: Ratio/capacity increase

Key Indicator Inspection: no.

Additional information:

- Pets? No Yes If yes, describe.
Two dogs, Kept outside, upstairs or in kennels while children are present.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

Language for Full Inspection

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

On 08/17/2022 during an onsite inspection there was one child present in the basement and three children sleeping upstairs. Upon arrival two more children arrived. As children arrived, they sat down at the table for breakfast. After eating children played with various toys. During the inspection I observed all child care staff members interacting appropriately with all children present.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1915 Indoor space; play equipment and materials.

(2) Only space that has received prior approval for child use by the department may be used for child care.

On 08/17/2022, Ms Davis had three children sleeping upstairs in an unapproved space. Ms. Davis said it was an emergency situation to where the children could not sleep in the approved basement space over night so she had them sleep upstairs. They were still asleep when I for the inspection.

A corrective action plan was requested and approved on 08/17/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

Choose one:

I recommend issuance of a regular license to this child care group home (capacity 7-14).

Laura Piacentini

08/17/2022

Laura Piacentini
Licensing Consultant

Date