



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

March 22, 2023

Shanita Grant
18960 Archdale St
Detroit, MI 48235

RE: License #: DG820394852
Bows & Buttons Daycare
18960 Archdale St
Detroit, MI 48235

Dear Mrs Grant:

During the renewal inspection on 03/22/2023, I found three violation(s) listed below and explained in the attached report: listed below and explained in the attached report:

R 400.1907 (2)	Children's records
R 400.1920 (1)	Outdoor play area and equipment.
R 400.1941 (3)	Heat-producing equipment.

Due to the violations, you must send us a corrective action plan by 04/10/2023. You can use our [corrective action plan](#) form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.

Upon receipt of an acceptable corrective action plan, a regular license will be issued. You will receive it in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Essence Hickman, Licensing Consultant
 Bureau of Community and Health Systems
 Cadillac Pl. Ste 9-100
 3026 W. Grand Blvd
 Detroit, MI 48202
 (313) 938-5915

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG820394852
Licensee Name:	Shanitra Grant
Licensee Address:	18960 Archdale St Detroit, MI 48235
Licensee Telephone #:	(248) 764-0492
Licensee:	N/A
Name of Facility:	Bows & Buttons Daycare
Facility Address:	18960 Archdale St Detroit, MI 48235
Facility Telephone #:	(248) 764-0492
Original Issuance Date:	09/13/2018
Capacity:	14
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 03/21/2023

	No. of Records Reviewed	
No. of children enrolled in care	12	12
No. of assistant caregivers employed	2	2
No. of child care children present at time of inspection	9	
No. of other children present at time of inspection	1	
No. of assistant caregivers present at time of inspection	2	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input checked="" type="checkbox"/>

Approved child use space: Basement

Exiting information (including second floor and basement): There is a stairwell from the second floor to the main floor. There is an egress window and a stairwell from the basement to the main floor. On the main floor there is a front and a rear door to get out of the home.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff,

and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1907 Child's records.

(2) Records in subrule (1) of this rule must be reviewed and updated annually or when information changes.

Five of 12 children's records were more than a year old. Either the child in care record and/or the child in care statement had not been updated.

R 400.1920 Outdoor play area and equipment.

(1) A child care home shall provide a clean, safe, and hazard free outdoor play area, on the premises or within a reasonable walking distance of the home.

There were used gallons of paints and a bag of powdered cement that had harden in the out door play area. There was also a piece of wood with screws protruding out of it.

R 400.1941 Heat-producing equipment.

(3) Portable heating devices must not be used when children are in care.

There was a portable heater in use in the basement upon my arrival.

IV. RECOMMENDATION

Upon receipt of an acceptable corrective action plan, I will recommend issuance of a regular childcare group home license.



03/22/2023

Essence Hickman
Licensing Consultant

Date