



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

October 24, 2022

Anita Dickinson
1815 Cherry Ridge
Cadillac, MI 49601

RE: License #: DG830086464
Anita Dickinson
1815 Cherry Ridge
Cadillac, MI 49601

Dear Ms. Dickinson:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 10/20/2022, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Sara Schalk". The signature is written in a cursive, flowing style.

Sara Schalk, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG830086464
Licensee Name:	Anita Dickinson
Licensee Address:	1815 Cherry Ridge Cadillac, MI 49601
Licensee Telephone #:	
Licensee:	N/A
Name of Facility:	Anita Dickinson
Facility Address:	1815 Cherry Ridge Cadillac, MI 49601
Facility Telephone #:	(231) 920-5530
Original Issuance Date:	
Capacity:	14
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s):

10/20/2022

		No. of Records Reviewed
No. of children enrolled in care	12	10
No. of assistant caregivers employed	2	2
No. of child care children present at time of inspection	10	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	☒
	Assistant Caregivers	☒

Approved child use space: The kitchen, dining room, living room, and two bedrooms are approved as child-use space.

Exiting information (including second floor and basement): The front door exits the living room to the front yard. There is a sliding glass door which exits the dining room to the back yard and another door which exits the dining room to the garage.

Approved variances - ☐ No ☒ Yes Description: Ms. Dickinson has a variance to R 400.1910-ratio of personnel to children.

Key Indicator Inspection: No

Additional information:

- Pets? No ☒ Yes ☐ If yes, describe.
- Hot tubs or spa pool? No ☒ Yes ☐ If yes, are there appropriate barriers?
- Swimming pool? No ☒ Yes ☐ If yes, describe pool and barriers.
- Other water hazards? No ☒ Yes ☐ If yes, describe.
- Fireplace or wood burning stove? No ☐ Yes ☒ If yes, describe.
There is an electric fireplace in the living room.
- Fireplace/wood burner in use during child care hours? No ☒ Yes ☐ If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct

observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, I observed Ms. Dickinson and a child care staff member caring for 10 children. When I arrived, one child was sleeping, and the other nine children were eating/getting ready for lunch. The children then transitioned to rest time. I observed appropriate sanitation during diaper changing. Ms. Dickinson and the child care staff member both provided appropriate supervision and had positive interactions with the child care children.

The facility is in compliance with all applicable rules and statutes.

During the exit conference I provided technical assistance/consultation on the following:

- Accuracy regarding Child Care Background Check (CCBC) system maintenance.
- Reminded Ms. Dickinson that the outdoor grill is to be covered or inaccessible to children.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-14).



10/24/2022

Sara Schalk
Licensing Consultant

Date