



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Northern Branch
908 W. Broadway, 10-W
Louisville, KY 40203

Adam Mather
INSPECTOR GENERAL

Phone: (502) 595-5781 Fax: (502) 595-5773
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

| | | |
|---|---------------------------------------|--|
| Provider Name: New Haven Head Start | Provider Information | License No: L350964 |
| Provider Address: 413 A First Street, New Haven, KY, 40051 | Provider Type: LICENSED TYPE I | Capacity: 38 |
| Owner(s): Central Kentucky Community Action Council, Inc. | | Director(s): Smith, Pamela Anne |

| | | |
|--|--|-----------------------------|
| Inspection Type: Change of Location | Inspection Information | Inspection No: 12567 |
| Visit Start Date: 08/23/2012 12:00 PM | Visit End Date: 08/23/2012 12:45 PM | |
| | No. of Children Present: 0 | |

Inspection Report

General Premises

191 - Inaccessible Items

922 KAR 2:120 - Section 3

- (7) The following shall be inaccessible to a child in care:**
- (a) Toxic cleaning supplies, poisons, and insecticides;**
 - (b) Knives and sharp objects;**
 - (c) Matches, cigarettes, lighters, and flammable liquids;**
 - (d) Plastic bags;**
 - (e) Litter and rubbish;**
 - (f) Bar soap; and**
 - (g) Personal belongings of staff.**

- | | |
|--|----------------------|
| 1) Toxic cleaning supplies, poisons, and insecticides | In Compliance |
| 2) Knives and sharp objects | In Compliance |
| 3) Matches, cigarettes, lighters, and flammable liquids | In Compliance |
| 4) Plastic bags | In Compliance |
| 5) Litter and rubbish | In Compliance |
| 6) Bar soap | In Compliance |
| 7) Personal belongings of staff | In Compliance |

192 - Guns/Ammunition storage

922 KAR 2:120 - Section 3

- (8) Guns and ammunition shall be stored separately in a locked area outside of the designated child care area.**

- | | |
|-----------------------------------|----------------------|
| 1) Separate storage | In Compliance |
| 2) Locked | In Compliance |
| 3) Outside child care area | In Compliance |



Inspection Report

197 - Premises Requirements

922 KAR 2:120 - Section 4 Premises Requirements.

- (1) The premises shall be:
- (a) Suitable for the purpose intended;
 - (b) Kept clean and in good repair; and
 - (c) Equipped with a land-line telephone accessible to a room used by a child.

- 1) Suitable In Compliance
- 2) Clean In Compliance
- 3) Good repair In Compliance
- 4) Land-line phone accessible In Compliance

199 - Fire exits clear

In Compliance

922 KAR 2:120 - Section 4

- (3) Fire and emergency exits shall be kept clear of debris.

200 - Building Requirements

922 KAR 2:120 - Section 4

- (4) The building shall be constructed to ensure the:
- (a) Building is:
 - 1. Dry;
 - 2. Adequately heated;
 - 3. Ventilated; and
 - 4. Well lit, including clean light fixtures:
 - a. That are in good repair in all areas; and
 - b. Shielded or have shattered proof bulbs installed; and

- 1) Dry In Compliance
- 2) Adequately heated In Compliance
- 3) Adequately ventilated In Compliance
- 4) Well Lit In Compliance
- 5) Clean Light Fixtures In Compliance
- 6) Lights good repair In Compliance
- 7) Shielded/shatter proof bulbs In Compliance

201 - Protected Items

922 KAR 2:120 - Section 4 (4)

- (b) Following are protected:
- 1. Windows;
 - 2. Doors;
 - 3. Stoves;
 - 4. Heaters;
 - 5. Furnaces;
 - 6. Pipes; and
 - 7. Stairs.

- 1) Windows In Compliance
- 2) Doors In Compliance
- 3) Stoves In Compliance
- 4) Heaters In Compliance
- 5) Furnaces In Compliance
- 6) Pipes In Compliance
- 7) Stairs In Compliance

203 - Pest Control

922 KAR 2:120 - Section 4

- (6) Measures shall be utilized to control the presence of:
- (a) Rodents;
 - (b) Flies;
 - (c) Roaches; and
 - (d) Other vermin.

- 1) No rodents In Compliance
- 2) No flies In Compliance
- 3) No Roaches In Compliance

Inspection Report

4) Other Vermin

In Compliance

204 - Protected Openings

In Compliance

922 KAR 2:120 - Section 4

- (7) An opening to the outside shall be effectively protected against the entrance of vermin by:
- (a) Self-closing doors;
 - (b) Closed windows;
 - (c) Screening;
 - (d) Controlled air current; or
 - (e) Other effective means.

205 - Floors, walls, Ceilings

922 KAR 2:120 - Section 4

(8) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.

- 1) Floors smooth/good repair
- 2) Walls smooth/good repair
- 3) Ceilings smooth/good repair
- 4) Floors easily cleaned
- 5) Walls easily cleaned
- 6) Ceilings easily cleaned

In Compliance
In Compliance
In Compliance
In Compliance
In Compliance
In Compliance

206 - Water Supply Requirements

922 KAR 2:120 - Section 4

- (9) The water supply shall be:
- (a) Potable;
 - (b) Protected from contamination;
 - (c) Adequate in quality and volume;
 - (d) Under sufficient pressure to permit unrestricted use; and
 - (e) Obtained from an approved public water supply or a source approved by the local health department.

- 1) Potable
- 2) Protected
- 3) Adequate Quality/Volume
- 4) Under pressure
- 5) Obtained from Approved water source

In Compliance
In Compliance
In Compliance
In Compliance
In Compliance

207 - Ground Water Supplies

922 KAR 2:120 - Section 4

- (10) Groundwater supplies for a center caring for:
- (a) More than twenty-five (25) children shall meet the specifications of the Cabinet for Environmental and Public Protection Division of Water, established in KRS Chapter 151; or
 - (b) Twenty-five (25) children or less shall secure approval from the:
 - 1. Cabinet for Environmental and Public Protection; or
 - 2. Local health department.

- 1) More than 25 children
- 2) 25 children or less

In Compliance
In Compliance

208 - Sewage Disposal

In Compliance

922 KAR 2:120 - Section 4

- (11) Sewage shall be properly disposed by a method approved by the:
- (a) Cabinet for Environmental and Public Protection; or
 - (b) Cabinet.

209 - Plumbing Code

In Compliance

922 KAR 2:120 - Section 4

(12) All plumbing shall comply with the State Plumbing Code established in KRS 211.3470.

210 - Solid Waste

In Compliance

922 KAR 2:120 - Section 4

(13) Solid waste shall be kept in a suitable receptacle in accordance with local, county and state law, as governed by KRS 211.350 to 211.380.

211 - Child Care Program Interference

In Compliance

922 KAR 2:120 - Section 4

(14) If a portion of the building is used for a purpose other than child care, necessary provisions shall be made to avoid interference with the child care program.

Inspection Report

212 - Building Temperature

922 KAR 2:120 - Section 4

(15) The temperature of the inside area of the premises shall be:

- (a) Sixty-five (65) to seventy-five (75) degrees Fahrenheit during the winter; or**
- (b) Sixty-eight (68) to eighty-two (82) degrees Fahrenheit during the summer months.**

2) Summer Temperature sixty-eight to eighty-two

In Compliance

224 - Indoor gross motor space requirements

922 KAR 2:120 - Section 4

(20) If a child-care center does not have access to an outdoor play area, an indoor space shall:

- (a) Be used as a play area;**
- (b) Have a minimum of sixty (60) square feet per child, separate from and in addition to the thirty-five (35) square feet minimum pursuant to subsection (5) of this section;**
- (c) Include equipment for gross motor skills;**
- (d) Be well-ventilated;**
- (e) Be heated; and**
- (f) Have a protective surface of at least two (2) inches thick around equipment intended for climbing.**

1) Play area

In Compliance

2) 60 sq. ft

In Compliance

4) Well ventilated

In Compliance

5) Heated

In Compliance

6) 2 inch thick protective surface

In Compliance

229 - Prohibited Bodies of Water

922 KAR 2:120 - Section 4

(25) Bodies of water that shall not be utilized include:

- (a) Portable wading pools;**
- (b) Natural bodies of water; and (c) Unfiltered, nondisinfected containers.**

1) Wading pools

In Compliance

2) Natural

In Compliance

3) Unfiltered, nondisinfected

In Compliance

278 - Minimum Toilet/Urinal requirements

In Compliance

922 KAR 2:120 - Section 10

(1) A child-care center shall have a minimum of one (1) toilet and one (1) lavatory for each twenty (20) children. Urinals may be substituted for up to one-half (1/2) of the number of toilets required for a male toilet room.

279 - Toilet Room

922 KAR 2:120 - Section 10

(2) A toilet room shall:

- (a) 1. Be provided for each gender; or**
- 2. A plan shall be implemented to use the same toilet room at separate times;**
- (b) Have a supply of toilet paper; and**
- (c) Be cleaned and sanitized daily.**

1) Provided for each gender/plan to use separately

In Compliance

2) Toilet Paper

In Compliance

3) Clean/Sanitized

In Compliance

280 - Sink

922 KAR 2:120 - Section 10

(3) A sink shall be;

- (a) Located in or immediately adjacent to toilet rooms;**
- (b) Equipped with hot and cold running water that allows for hand washing;**
- (c) Equipped with hot water no more than 110 degrees Fahrenheit;**
- (d) Equipped with liquid soap and single use disposable hand drying material;**
- (e) Equipped with an easily cleanable, covered waste receptacle; and**
- (f) Immediately adjacent to a changing area used for infants and toddlers.**

1) Located in or immediately adjacent to toilet rooms

In Compliance

2) Equipped with hot running water that allows for hand washing

In Compliance

3) Equipped with cold running water that allows for hand washing

In Compliance

4) Equipped with hot water no more than 110 degrees Fahrenheit

In Compliance

Inspection Report

6) Equipped with an easily cleanable, covered waste receptacle

In Compliance

7) Immediately adjacent to a changing area used for infants and toddlers

In Compliance

281 - Toilet

922 KAR 2:120 - Section 10

(4) Each toilet shall:

- (a) Be kept in clean condition;
- (b) Be kept in good repair;
- (c) Be in a lighted room; and
- (d) Have ventilation to outside air.

- 1) Clean **In Compliance**
- 2) Good repair **In Compliance**
- 3) Lighted Room **In Compliance**
- 4) Ventilated **In Compliance**

Premises - Classroom

191 - Inaccessible Items

922 KAR 2:120 - Section 3

(7) The following shall be inaccessible to a child in care:

- (a) Toxic cleaning supplies, poisons, and insecticides;
- (b) Knives and sharp objects;
- (c) Matches, cigarettes, lighters, and flammable liquids;
- (d) Plastic bags;
- (e) Litter and rubbish;
- (f) Bar soap; and
- (g) Personal belongings of staff.

- 1) Toxic cleaning supplies, poisons, and insecticides **In Compliance**
- 2) Knives and sharp objects **In Compliance**
- 3) Matches, cigarettes, lighters, and flammable liquids **In Compliance**
- 4) Plastic bags **In Compliance**
- 5) Litter and rubbish **In Compliance**
- 6) Bar soap **In Compliance**
- 7) Personal belongings of staff **In Compliance**

197 - Premises Requirements

922 KAR 2:120 - Section 4 Premises Requirements.

(1) The premises shall be:

- (a) Suitable for the purpose intended;
- (b) Kept clean and in good repair; and
- (c) Equipped with a land-line telephone accessible to a room used by a child.

- 1) Suitable **In Compliance**
- 2) Clean **In Compliance**
- 3) Good repair **In Compliance**
- 4) Land-line phone accessible **In Compliance**

200 - Building Requirements

922 KAR 2:120 - Section 4

(4) The building shall be constructed to ensure the:

- (a) Building is:
 - 1. Dry;
 - 2. Adequately heated;
 - 3. Ventilated; and
 - 4. Well lit, including clean light fixtures:
 - a. That are in good repair in all areas; and
 - b. Shielded or have shattered proof bulbs installed; and

- 1) Dry **In Compliance**
- 2) Adequately heated **In Compliance**
- 3) Adequately ventilated **In Compliance**
- 4) Well Lit **In Compliance**
- 5) Clean Light Fixtures **In Compliance**

Inspection Report

6) Lights good repair

In Compliance

7) Shielded/shatter proof bulbs

In Compliance

201 - Protected Items

922 KAR 2:120 - Section 4 (4)

(b) Following are protected:

1. Windows;
2. Doors;
3. Stoves;
4. Heaters;
5. Furnaces;
6. Pipes; and
7. Stairs.

1) Windows

In Compliance

2) Doors

In Compliance

3) Stoves

In Compliance

4) Heaters

In Compliance

5) Furnaces

In Compliance

6) Pipes

In Compliance

7) Stairs

In Compliance

202 - 35 Square Feet per child

In Compliance

922 KAR 2:120 - Section 4

(5) Exclusive of the kitchen, bathroom, hallway, and storage area, there shall be a minimum of thirty-five (35) square feet of space per child.

205 - Floors, walls, Ceilings

922 KAR 2:120 - Section 4

(8) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.

1) Floors smooth/good repair

In Compliance

2) Walls smooth/good repair

In Compliance

3) Ceilings smooth/good repair

In Compliance

4) Floors easily cleaned

In Compliance

5) Walls easily cleaned

In Compliance

6) Ceilings easily cleaned

In Compliance

212 - Building Temperature

922 KAR 2:120 - Section 4

(15) The temperature of the inside area of the premises shall be:

- (a) Sixty-five (65) to seventy-five (75) degrees Fahrenheit during the winter; or
- (b) Sixty-eight (68) to eighty-two (82) degrees Fahrenheit during the summer months.

2) Summer Temperature sixty-eight to eighty-two

In Compliance

Outdoor Play Area

215 - Fence Requirement

In Compliance

922 KAR 2:120 - Section 4

(18) An outdoor play area shall be:

(a) Except for an after-school child care program, located on the premises of a public or state-accredited nonpublic school, fenced for the safety of the children;

216 - 60 Square Feet

In Compliance

922 KAR 2:120 - Section 4 (18)

(b) A minimum of sixty (60) square feet per child, separate from and in addition to the thirty-five (35) square feet minimum pursuant to subsection (5) of this section;

217 - Playground Clean

922 KAR 2:120 - Section 4 (18)

(c) Free from:

1. Litter;
2. Glass;
3. Rubbish; and
4. Flammable materials;

1) Litter

In Compliance

2) Glass

In Compliance

Inspection Report

3) Rubbish In Compliance

4) Flammable Materials In Compliance

218 - Playground Safe In Compliance

922 KAR 2:120 - Section 4 (18)
(d) Safe from foreseeable hazard;

219 - Playground well drained In Compliance

922 KAR 2:120 - Section 4 (18)
(e) Well drained;

220 - Playground maintained In Compliance

922 KAR 2:120 - Section 4 (18)
(f) Well maintained;

221 - Playground in good repair In Compliance

922 KAR 2:120 - Section 4 (18)
(g) In good repair; and

222 - Playground visible In Compliance

922 KAR 2:120 - Section 4 (18)
(h) Visible to staff at all times.

223 - Protective Surface

922 KAR 2:120 - Section 4
(19) A protective surface shall:
(a) Be provided for outdoor play equipment used to:
1. Climb;
2. Swing; and
3. Slide; and
(b) Have a fall zone equal to the height of the equipment.

1) To climb In Compliance

2) To swing In Compliance

3) To slide In Compliance

4) Fall Zone In Compliance

225 - Fences

922 KAR 2:120 - Section 4
(21) Fences shall be:
(a) Constructed of safe material;
(b) Stable; and
(c) In good condition.

1) Constructed of safe material In Compliance

2) Stable In Compliance

3) In good condition In Compliance

Outdoor Play Area - Equipment

226 - Anchored Equipment In Compliance

922 KAR 2:120 - Section 4
(22) Supports for climbing apparatus and large equipment shall be securely fastened to the ground.

227 - Crawl Spaces In Compliance

922 KAR 2:120 - Section 4
(23) Crawl spaces, such as tunnels, shall be short and wide enough to permit access by adults.

230 - Sufficient appropriate equipment

922 KAR 2:120 - Section 4
(26) A child-care center shall have enough toys, play apparatus, and age-appropriate developmental materials to provide each child with a variety of activities during the day, as specified in Section 2 of this administrative regulation.

1) Quantity In Compliance

2) Age Appropriate In Compliance



Inspection Report

294 - Toys/Equipment/Furniture

922 KAR 2:120 - Section 11

(1) All toys, equipment, and furniture contacted by a child shall be:

- (a) Kept clean and in good repair and
- (b) Free of peeling, flaking, or chalking paint.

- 1) Clean In Compliance
- 2) Good repair In Compliance
- 3) Free from peeling, flaking, chalking paint In Compliance

295 - Indoor/outdoor Equipment

922 KAR 2:120 - Section 11

(2) Indoor and outdoor equipment shall:

- (a) Be clean, safe, and in good repair;
- (b) Meet the physical, developmental needs, and interests of children of different age groups;
- (c) Be free from sharp points or corners, splinters, protruding nails or bolts, loose or rusty parts, hazardous small parts, lead-based paint, poisonous material, and flaking or chalking paint; and
- (d) Be designed to guard against entrapment or situations that may cause strangulation.

- 1) Clean In Compliance
- 2) Safe In Compliance
- 3) Good repair In Compliance
- 4) Meets needs In Compliance
- 5) Free from harmful conditions In Compliance
- 6) Guard against entrapment/strangulation In Compliance

296 - Toys

922 KAR 2:120 - Section 11

(3) Toys shall be:

- (a) Used according to the manufacturer's safety specifications;
- (b) Durable; and
- (c) Without sharp points or edges.

- 1) Used according to manufacturers specifications In Compliance
- 2) Durable In Compliance
- 3) No sharp points/edges In Compliance

Equipment - General Premises

226 - Anchored Equipment

In Compliance

922 KAR 2:120 - Section 4

(22) Supports for climbing apparatus and large equipment shall be securely fastened to the ground.

227 - Crawl Spaces

In Compliance

922 KAR 2:120 - Section 4

(23) Crawl spaces, such as tunnels, shall be short and wide enough to permit access by adults.

298 - Children's Tables and Chairs

In Compliance

922 KAR 2:120 - Section 11

(5) Tables and chairs shall be of suitable size for children.

Food Service

256 - Refrigerator

922 KAR 2:120 - Section 8

(5) A cold-storage facility used for storage of perishable food in a nonfrozen state shall:

- (a) Have an indicating thermometer or other appropriate temperature measuring device;
- (b) Be in a safe environment for preservation; and
- (c) Be forty-five (45) degrees Fahrenheit or below, or 140 degrees Fahrenheit or above.

- 1) Thermometer In Compliance
- 2) Safe environment In Compliance
- 3) 45 degrees or below In Compliance

Posted Documentation

29 - License

In Compliance

Inspection Report

922 KAR 2:090 - Section 5

(14) The license shall be posted in a conspicuous place in the child-care center.

95 - Posting Requirements

922 KAR 2:110 - Section 2

(7) In addition to the posting requirement of KRS 199.898(3), a child-care center shall post the following in a conspicuous place and make available for public inspection:

- (a) Each statement of deficiency and civil monetary penalty notice issued by the cabinet during the current licensure year;**
- (b) Each plan of correction submitted by the child-care center to the cabinet during the current licensure year;**
- (c) A description of services provided by the child-care center, including:
 - 1. Current rates for child care; and**
 - 2. Each service charged separately and in addition to the basic rate for child care.****
- (d) Minimum staff-to-child ratios and group size established in 922 KAR 2:120; and**
- (e) Daily schedule.**

| | |
|-----------------------------------|----------------------|
| 1) Statement of Deficiency | In Compliance |
| 2) Civil Penalty | In Compliance |
| 3) Plan of Correction | In Compliance |
| 4) Services | In Compliance |
| 5) Rates | In Compliance |
| 6) Ratios/Group Size | In Compliance |
| 7) Daily Schedule | In Compliance |

Signature of
Provider/Representative

Title

Date