



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511

Adam Mather
INSPECTOR GENERAL

Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Kare Bears	Provider Information	CLR No: L383160
Provider Address: 1697 Peabody Way, Lexington, KY, 40511	Provider Type: LICENSED TYPE I	Capacity: 60
Owner(s): Peh, Inc.		Director(s): Harshman, Ellen V.

Inspection Type: Investigation	Inspection Information	Inspection No: 291466
Date Initiated: 09/19/2019 9:20 AM	Date Concluded: 09/19/2019 10:00 AM	
	No. of Children Present: 29	

Inspection Report	
Supervision	In Compliance
Staffing Requirements	In Compliance
Director Requirements	Not In Compliance
350 - Health, Safety, Comfort	Not In Compliance

922 KAR 2:090. Section 10. Director Requirements and Responsibilities.
(1) A director shall:
(l) Assure the health, safety, and comfort of each child;

Findings:

General: Based on observation and review of documentation, as well as per video footage, while a teacher was changing children's diapers, a one-year-old child got a bottle of bleach water solution from underneath the changing table and began spraying it around the classroom and at children. After the child had the bottle for approximately four (4) minutes, the child was seen spraying the solution in the face of a child who was sitting on the floor. The child appeared to cry out and that was when the teacher saw the child with the spray bottle and got the bottle from him and sat it on top of a counter. The teacher then picked up the child who was sprayed by the solution and ran the child to the sink and washed the child's face.

Premises	Not In Compliance
520 - Inaccessible Items	Not In Compliance

922 KAR 2:120. Section 3. General Requirements.
(7) The following shall be inaccessible to a child in care:
(a) Toxic cleaning supplies, poisons, and insecticides;
(b) Matches, cigarettes, lighters, and flammable liquids; and
(c) Personal belongings and medications of staff.

Findings:

General: Based on review of documentation as well as video footage, while a teacher was changing children's diapers, a one-year-old child got a bottle of bleach water solution from underneath the changing table and began spraying it around the classroom and at children. After the child had the bottle for approximately four (4) minutes, the child was seen spraying the solution in the face of a child who was sitting on the floor. The child appeared to cry out and that was when the teacher saw the child with the spray bottle and got the bottle from him and sat it on top of a counter. The teacher then picked up the child who was sprayed by the solution and ran the child to the sink and washed the child's face.

Signature of Provider/Representative

Title

Date