



**Andy Beshear**  
GOVERNOR

**CABINET FOR HEALTH AND FAMILY SERVICES  
OFFICE OF INSPECTOR GENERAL**

**Eric Friedlander**  
SECRETARY

**Melissa A. Moore, Director**  
Division of Regulated Child Care  
Western Branch  
901 B South Main Street  
Hopkinsville, KY 42240  
Phone: (270) 889-6052 Fax: (270) 889-6089  
<https://chfs.ky.gov/agencies/os/oig>

**Adam Mather**  
INSPECTOR GENERAL

**Inspection Report**

<b>Provider Name:</b> Immanuel Preschool	<b>Provider Information</b>	<b>CLR No:</b> L355949
<b>Provider Address:</b> 3465 Buckner Lane, Paducah, KY, 42001	<b>Provider Type:</b> LICENSED TYPE I	<b>Capacity:</b> 67
<b>Owner(s):</b> Immanuel Baptist Church Of Paducah, Kentucky, Inc.		<b>Director(s):</b> Price, Dana Tere'

<b>Inspection Type:</b> Renewal Application	<b>Inspection Information</b>	<b>Inspection No:</b> 244298
<b>Date Initiated:</b> 05/04/2018 10:30 AM	<b>Date Concluded:</b> 05/04/2018 1:30 PM	
	<b>No. of Children Present:</b> 35	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	In Compliance
Employee Records	Not In Compliance
<b>410 - Training</b>	<b>Not In Compliance</b>
<b>922 KAR 2:090. Section 11. Staff Requirements.</b> <b>(16) In accordance with KRS 199.896(15) and (16), a staff person with supervisory authority over a child shall complete the following:</b> <b>(a) Six (6) hours of cabinet-approved orientation within the first three (3) months of employment;</b> <b>(b) Nine (9) hours of cabinet-approved early care and education training within the first year of employment, including one and one-half (1 ½) hours of cabinet-approved pediatric abusive head trauma training; and</b> <b>(c) Fifteen (15) hours of cabinet-approved early care and education training during each subsequent year of employment, including one and one-half (1 ½) hours of cabinet-approved pediatric abusive head trauma training completed once every five (5) years.</b>	
<b>Findings:</b> General: Based on Review of Documentation, two (2) caregivers, one (1) hired 08/30/2005 and one (1) hired 01/05/15, did not complete the required fifteen (15) hours of annual training. One (1) caregiver hired 08/30/05, completed fourteen (14) of the required fifteen (15) hours of annual training. One (1) caregiver hired 01/05/15, completed seven (7) of the required fifteen (15) hours of annual training, and one (1) caregiver hired 11/13/13, had not completed any of the required fifteen (15) hours of annual training.	
Programming	In Compliance

Inspection Report		
Premises		Not In Compliance
645 - Sink		Not In Compliance
<div>922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements. (3) A sink shall be: (a) Located in or immediately adjacent to toilet rooms; (b) Equipped with hot and cold running water that allows for hand washing; (c) Equipped with hot water at a minimum temperature of ninety (90) degrees Fahrenheit and a maximum of 120 degrees Fahrenheit; (d) Equipped with liquid soap; (e) Equipped with hand-drying blower or single use disposable hand drying material; (f) Equipped with an easily cleanable waste receptacle; and (g) Immediately adjacent to a changing area used for infants and toddlers.</div>		
<b>Findings:</b> General: Based on Observation, the hot water temperature registered eighty (80) degrees Fahrenheit in the sink of the girls' restroom, located in the gym. The hot water temperature registered eighty (80) degrees Fahrenheit in two (2) sinks, in the girls' downstairs restroom located across from the PreK classroom. The hot water temperature registered eighty (80) degrees Fahrenheit in the sink located in the two and three-year-olds' upstairs classroom.		
Hygienic Practices		Not In Compliance
685 - Diaper Changing Area/Surface		Not In Compliance
<div>922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements. (10) When a child is diapered, the child shall: (b) Be placed on a surface that is: 1. Clean; 2. Padded; 3. Free of holes, rips, tears, or other damage; 4. Nonabsorbent; 5. Easily cleaned; and 6. Free of any items not used for diaper changing.</div>		
<b>Findings:</b> General: Based on Observation, one (1) diapering mat and changing table, in the two and three-year-olds' classroom, were soiled and discolored.		
First Aid/Medication		In Compliance
Outdoor Play Area		In Compliance
Equipment		In Compliance
Transportation		Not Applicable
Food Service/Food Program		In Compliance
Food Service		In Compliance
Children's Records		In Compliance
Written Documentation		In Compliance
Posted Documentation		In Compliance
Animals		Not Applicable