



Andy Beshear
GOVERNOR

**CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL**

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511
Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Adam Mather
INSPECTOR GENERAL

Inspection Report

Provider Name: Bethel Early Learning Center	Provider Information	License No: L358172
Provider Address: 3260 Lexington Road, Nicholasville, KY, 40356	Provider Type: LICENSED TYPE I	Capacity: 196
Owner(s): Bethel Harvest Church, Inc.		Director(s): Horton, Sheila

Inspection Type: Investigation	Inspection Information	Inspection No: 17260
Visit Start Date: 02/19/2013 9:05 AM	Visit End Date: 02/20/2013 12:45 PM	
	No. of Children Present: 84	

Inspection Report

Supervision

167 - Children supervised/Protected

922 KAR 2:120 - Section 2 (3)

(a) Each center shall maintain a child care program that assures each child will be:

1. Provided adequate supervision at all times; and
2. Protected from abuse or neglect.

1) Adequately supervised at all times

In Compliance

Staffing Requirements

162 - Ratios and Group Size

In Compliance

922 KAR 2:120 - Section 2

(2) Minimum staff-to-child ratios and group size for an operating child-care center shall be maintained as follows:

Age of Children Ratio Maximum

Group

Size*

Infant 1 staff for 5 children 10

Toddler 1 staff for 6 children 12

2 to 3 years 1 staff for 10 children 20

3 to 4 years 1 staff for 12 children 24

4 to 5 years 1 staff for 14 children 28

5 to 7 years 1 staff for 15 children 30

7 and older 1 staff for 25 children

(for before and after school) 30

1 staff for 20 children

(full day of care) 30

*Maximum Group Size shall be applicable only to Type I centers.

Director Requirements

118 - Health, Safety, Comfort

In Compliance

922 KAR 2:110 - Section 4 (1)

(I) Provide for the health, safety, and comfort of each child;

Inspection Report

Equipment - Classroom

237 - Crib Mattress/Standards

922 KAR 2:120 - Section 6

(2) A crib shall:

- (a) Be equipped with a firm, comfortable waterproof mattress; and
- (b) Meet the standards set forth in 16 C.F.R. 1508 and 1509.

2) Meets Standards

Not In Compliance

Findings:

Infant Room: Based on Observation, out of the ten (10) cribs in the two (2) infant classrooms, six (6) of them did not meet the Consumer Products Safety Commission Standards established in 16 C.F.R. 1508-1509. The staff person in charge showed the surveyor three (3) new cribs still in boxes that have not been put together. There were also five (5) more cribs in a classroom that were not being used and were going to be dismantled.

Signature of
Provider/Representative

Title

Date