



Andy Beshear
GOVERNOR

**CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL**

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511

Adam Mather
INSPECTOR GENERAL

Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Kare Bears	Provider Information	CLR No: L358318
Provider Address: 3155 Custer Drive, Suite A, Lexington, KY, 40517	Provider Type: LICENSED TYPE I	Capacity: 76
Owner(s): Peh, Inc.		Director(s): Oabel, Maricor Almadrones

Inspection Type: Investigation	Inspection Information	Inspection No: 278295
Date Initiated: 01/18/2019 10:00 AM	Date Concluded: 01/18/2019 11:20 AM	
	No. of Children Present: 34	

Inspection Report	
Supervision	In Compliance
Staffing Requirements	In Compliance
Director Requirements	Not In Compliance
350 - Health, Safety, Comfort	Not In Compliance

922 KAR 2:090. Section 10. Director Requirements and Responsibilities.

(1) A director shall:

(l) Assure the health, safety, and comfort of each child;

Findings:

General: Based on review of documentation and interview, this regulatory requirement was not met. On 1/15/19 it was reported to the DRCC office that a two-year-old child came home from daycare on 1/14/19 with bruising around her right elbow. The director spoke with the staff that cared for the child on 1/14/19 and submitted a written statement to the DRCC office that stated, "A staff person stated that the child climbed on the shelf and before the child jumped off of it she tried to grab her on the arm because she was afraid she would have an accident. The staff person stated that she didn't mean any harm to the child. The child also didn't show any sign that she was hurt. The staff person did not notice any marks because the child was wearing a jacket". An interview with staff during the investigation revealed that the child frequently climbs on furniture and equipment in the classroom; therefore, the child has to be re-directed down multiple times a day. This style of re-direction did not provide for the child's health, safety and comfort.

Signature of Provider/Representative

Title

Date