



Andy Beshear
GOVERNOR

**CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL**

Melissa A. Moore, Director
Division of Regulated Child Care
Southern Branch
116 Commerce Ave
London, KY 40744
Phone: (606) 330-2030 Fax: (606) 330-2056
<https://chfs.ky.gov/agencies/os/oig>

Eric Friedlander
SECRETARY

Adam Mather
INSPECTOR GENERAL

Inspection Report

Provider Name: Bright Beginnings	Provider Information	CLR No: L358690
Provider Address: 116 Prince Royal Drive, Berea, KY, 40403	Provider Type: LICENSED TYPE I	Capacity: 130
Owner(s): BRIGHT BEGINNINGS DAY CARE & LEARNING CENTER, LLC		Director(s): Crecelius, Lisha Kaye

Inspection Type: Renewal Application	Inspection Information	Inspection No: 247593
Date Initiated: 03/11/2019 12:25 PM	Date Concluded: 03/11/2019 4:25 PM	
	No. of Children Present: 69	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	In Compliance
Employee Records	In Compliance
Programming	In Compliance
Premises	Not In Compliance
580 - Floors, Walls, Ceilings	Not In Compliance
922 KAR 2:120. Section 4. Premises Requirements. (9) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.	
Findings: General: Based on observation, the surveyor found ceiling tiles that were broke and stained in the boy's restroom; therefore, the ceiling tiles were not in good repair.	
Hygienic Practices	Not In Compliance
685 - Diaper Changing Area/Surface	Not In Compliance
922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements. (10) When a child is diapered, the child shall: (b) Be placed on a surface that is: 1. Clean; 2. Padded; 3. Free of holes, rips, tears, or other damage; 4. Nonabsorbent; 5. Easily cleaned; and 6. Free of any items not used for diaper changing.	
Findings: General: Based on observation and interview, the surveyor found a diaper changing surface in the Infant room was not padded. Through interview with staff, the surveyor learned that a diaper pad was not used at all on 3/11/19. The Director reported she was unaware that a pad was not being used.	
First Aid/Medication	In Compliance

Inspection Report	
Outdoor Play Area	In Compliance
Equipment	In Compliance
Transportation	In Compliance
Food Service/Food Program	In Compliance
Food Service	Not In Compliance
1025 - Refrigerator	Not In Compliance
922 KAR 2:120. Section 8. Kitchen Requirements. (4) A cold-storage facility used for storage of perishable food in a nonfrozen state shall: (a) Have an indicating thermometer or other appropriate temperature measuring device; (b) Be in a safe environment for preservation; and (c) Be forty (40) degrees Fahrenheit or below.	
Findings: General: Based on observation, the surveyor found that the child care center's thermometer located in the refrigerator indicated that the temperature was forty-five (45) degrees Fahrenheit; therefore, the refrigerated food was not kept at a temperature of forty (40) degrees or below on the date of the surveyor's inspection.	
1030 - Frozen Food	Not In Compliance
922 KAR 2:120. Section 8. Kitchen Requirements. (5) Frozen food shall be: (a) Kept at a temperature of zero degrees Fahrenheit or below; and (b) Thawed: 1. At refrigerator temperatures; 2. Under cool, potable running water; 3. As part of the cooking process; or 4. By another method in accordance with the Department of Public Health's food safety standards and permits, established in KRS Chapter 217.	
Findings: General: Based on observation during a tour of the kitchen, the surveyor found that one (1) thermometer located in one (1) freezer indicated that the temperature was four (4) degrees Fahrenheit. Therefore, the frozen food was not kept at a temperature of zero (0) degrees or below on the date of the surveyor's inspection.	
Children's Records	In Compliance
Written Documentation	In Compliance
Posted Documentation	In Compliance
Animals	In Compliance