



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511
Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Eric Friedlander
SECRETARY

Adam Mather
INSPECTOR GENERAL

Inspection Report

Provider Name: The Children's House of Hebron	Provider Information	License No: L358943
Provider Address: 2151 North Bend Road, Hebron, KY, 41048	Provider Type: LICENSED TYPE I	Capacity: 240
Owner(s): The Children's House of Hebron, LLC		Director(s): Becker, Stephanie

Inspection Type: Investigation	Inspection Information	Inspection No: 9803
Visit Start Date: 05/09/2012 1:05 PM	Visit End Date: 05/09/2012 1:35 PM	
	No. of Children Present: 116	

Inspection Report

Supervision

167 - Children supervised/Protected

922 KAR 2:120 - Section 2 (3)

(a) Each center shall maintain a child care program that assures each child will be:

1. Provided adequate supervision at all times; and
2. Protected from abuse or neglect.

1) Adequately supervised at all times

In Compliance

2) Protected from abuse/neglect

In Compliance

186 - Activity Areas/Equipment/Materials

In Compliance

922 KAR 2:120 - Section 3

(2) Activity areas, equipment, and materials shall be arranged so that the child's activity can be given adequate supervision by staff.

Director Requirements

118 - Health, Safety, Comfort

In Compliance

922 KAR 2:110 - Section 4 (1)

(I) Provide for the health, safety, and comfort of each child;

Employee Records

128 - CPR/First Aid Coverage

922 KAR 2:110 - Section 5

(3) At least one (1) person on duty and present with the children shall be currently certified by a cabinet-approved training agency in the following skills:

- (a) Infant and child cardiopulmonary resuscitation; and
- (b) Infant and child first aid.

1) CPR

In Compliance

2) First Aid

In Compliance

Outdoor Play Area - Equipment

226 - Anchored Equipment

In Compliance

922 KAR 2:120 - Section 4

(22) Supports for climbing apparatus and large equipment shall be securely fastened to the ground.

Inspection Report

295 - Indoor/outdoor Equipment

922 KAR 2:120 - Section 11

(2) Indoor and outdoor equipment shall:

- (a) Be clean, safe, and in good repair;
- (b) Meet the physical, developmental needs, and interests of children of different age groups;
- (c) Be free from sharp points or corners, splinters, protruding nails or bolts, loose or rusty parts, hazardous small parts, lead-based paint, poisonous material, and flaking or chalking paint; and
- (d) Be designed to guard against entrapment or situations that may cause strangulation.

3) Good repair

In Compliance

5) Free from harmful conditions

In Compliance

Signature of
Provider/Representative

Title

Date