



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511
Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Eric Friedlander
SECRETARY

Adam Mather
INSPECTOR GENERAL

Inspection Report

Provider Name: Bellaire Creative Christian Academy	Provider Information	License No: L358974
Provider Address: 220 Bellaire Drive Nicholasville, KY 40356	Provider Type: LICENSED TYPE I	Capacity: 60- only 3 toilets and sinks installed
Owner(s): White, Priscilla		Director(s): White, Priscilla

Inspection Type: Change of Location	Inspection Information	Inspection No: 9291
Visit Start Date: 04/26/2012 10:15 AM	Visit End Date: 04/26/2012 11:22 AM	
	No. of Children Present: 0	

Inspection Report

General Administration

198 - Fire Marshal/Zoning Compliance

922 KAR 2:120 - Section 4

(2) A child-care center shall be in compliance with the State Fire Marshal requirements established in KRS 227.220 and the local zoning laws.

1) Fire Marshal

In Compliance

2) Zoning

In Compliance

General Premises

191 - Inaccessible Items

922 KAR 2:120 - Section 3

(7) The following shall be inaccessible to a child in care:

(a) Toxic cleaning supplies, poisons, and insecticides;

(b) Knives and sharp objects;

(c) Matches, cigarettes, lighters, and flammable liquids;

(d) Plastic bags;

(e) Litter and rubbish;

(f) Bar soap; and

(g) Personal belongings of staff.

1) Toxic cleaning supplies, poisons, and insecticides

In Compliance

2) Knives and sharp objects

In Compliance

3) Matches, cigarettes, lighters, and flammable liquids

In Compliance

4) Plastic bags

In Compliance

5) Litter and rubbish

In Compliance

6) Bar soap

In Compliance

Inspection Report

197 - Premises Requirements

922 KAR 2:120 - Section 4 Premises Requirements.

(1) The premises shall be:

- (a) Suitable for the purpose intended;
- (b) Kept clean and in good repair; and
- (c) Equipped with a land-line telephone accessible to a room used by a child.

1) Suitable

In Compliance

2) Clean

In Compliance

3) Good repair

In Compliance

4) Land-line phone accessible

In Compliance

199 - Fire exits clear

In Compliance

922 KAR 2:120 - Section 4

(3) Fire and emergency exits shall be kept clear of debris.

200 - Building Requirements

922 KAR 2:120 - Section 4

(4) The building shall be constructed to ensure the:

(a) Building is:

1. Dry;
2. Adequately heated;
3. Ventilated; and
4. Well lit, including clean light fixtures:
 - a. That are in good repair in all areas; and
 - b. Shielded or have shattered proof bulbs installed; and

1) Dry

In Compliance

2) Adequately heated

In Compliance

3) Adequately ventilated

In Compliance

4) Well Lit

In Compliance

5) Clean Light Fixtures

In Compliance

6) Lights good repair

In Compliance

7) Shielded/shatter proof bulbs

In Compliance

201 - Protected Items

922 KAR 2:120 - Section 4 (4)

(b) Following are protected:

1. Windows;
2. Doors;
3. Stoves;
4. Heaters;
5. Furnaces;
6. Pipes; and
7. Stairs.

1) Windows

In Compliance

2) Doors

In Compliance

3) Stoves

In Compliance

4) Heaters

In Compliance

5) Furnaces

In Compliance

6) Pipes

In Compliance

7) Stairs

In Compliance

204 - Protected Openings

In Compliance

922 KAR 2:120 - Section 4

(7) An opening to the outside shall be effectively protected against the entrance of vermin by:

- (a) Self-closing doors;
- (b) Closed windows;
- (c) Screening;
- (d) Controlled air current; or
- (e) Other effective means.

Inspection Report

205 - Floors, walls, Ceilings

922 KAR 2:120 - Section 4

(8) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.

- | | |
|--------------------------------|---------------|
| 1) Floors smooth/good repair | In Compliance |
| 2) Walls smooth/good repair | In Compliance |
| 3) Ceilings smooth/good repair | In Compliance |
| 4) Floors easily cleaned | In Compliance |
| 5) Walls easily cleaned | In Compliance |
| 6) Ceilings easily cleaned | In Compliance |

206 - Water Supply Requirements

922 KAR 2:120 - Section 4

(9) The water supply shall be:

- (a) Potable;
- (b) Protected from contamination;
- (c) Adequate in quality and volume;
- (d) Under sufficient pressure to permit unrestricted use; and
- (e) Obtained from an approved public water supply or a source approved by the local health department.

- | | |
|--|---------------|
| 1) Potable | In Compliance |
| 2) Protected | In Compliance |
| 3) Adequate Quality/Volume | In Compliance |
| 4) Under pressure | In Compliance |
| 5) Obtained from Approved water source | In Compliance |

207 - Ground Water Supplies

922 KAR 2:120 - Section 4

(10) Groundwater supplies for a center caring for:

- (a) More than twenty-five (25) children shall meet the specifications of the Cabinet for Environmental and Public Protection Division of Water, established in KRS Chapter 151; or
- (b) Twenty-five (25) children or less shall secure approval from the:
 - 1. Cabinet for Environmental and Public Protection; or
 - 2. Local health department.

- | | |
|--------------------------|---------------|
| 1) More than 25 children | In Compliance |
|--------------------------|---------------|

208 - Sewage Disposal

In Compliance

922 KAR 2:120 - Section 4

(11) Sewage shall be properly disposed by a method approved by the:

- (a) Cabinet for Environmental and Public Protection; or
- (b) Cabinet.

209 - Plumbing Code

In Compliance

922 KAR 2:120 - Section 4

(12) All plumbing shall comply with the State Plumbing Code established in KRS 211.3470.

210 - Solid Waste

In Compliance

922 KAR 2:120 - Section 4

(13) Solid waste shall be kept in a suitable receptacle in accordance with local, county and state law, as governed by KRS 211.350 to 211.380.

212 - Building Temperature

922 KAR 2:120 - Section 4

(15) The temperature of the inside area of the premises shall be:

- (a) Sixty-five (65) to seventy-five (75) degrees Fahrenheit during the winter; or
- (b) Sixty-eight (68) to eighty-two (82) degrees Fahrenheit during the summer months.

- | | |
|--|---------------|
| 1) Winter Temperature sixty-five to seventy-five | In Compliance |
| 2) Summer Temperature sixty-eight to eighty-two | In Compliance |

278 - Minimum Toilet/Urinal requirements

In Compliance

922 KAR 2:120 - Section 10

(1) A child-care center shall have a minimum of one (1) toilet and one (1) lavatory for each twenty (20) children. Urinals may be substituted for up to one-half (1/2) of the number of toilets required for a male toilet room.

Inspection Report

279 - Toilet Room

922 KAR 2:120 - Section 10

(2) A toilet room shall:

- (a) 1. Be provided for each gender; or
- 2. A plan shall be implemented to use the same toilet room at separate times;
- (b) Have a supply of toilet paper; and
- (c) Be cleaned and sanitized daily.

1) Provided for each gender/plan to use separately

In Compliance

2) Toilet Paper

In Compliance

3) Clean/Sanitized

In Compliance

280 - Sink

922 KAR 2:120 - Section 10

(3) A sink shall be;

- (a) Located in or immediately adjacent to toilet rooms;
- (b) Equipped with hot and cold running water that allows for hand washing;
- (c) Equipped with hot water no more than 110 degrees Fahrenheit;
- (d) Equipped with liquid soap and single use disposable hand drying material;
- (e) Equipped with an easily cleanable, covered waste receptacle; and
- (f) Immediately adjacent to a changing area used for infants and toddlers.

1) Located in or immediately adjacent to toilet rooms

In Compliance

2) Equipped with hot running water that allows for hand washing

In Compliance

3) Equipped with cold running water that allows for hand washing

In Compliance

4) Equipped with hot water no more than 110 degrees Fahrenheit

In Compliance

5) Equipped with liquid soap and single use disposable hand drying material

In Compliance

6) Equipped with an easily cleanable, covered waste receptacle

In Compliance

7) Immediately adjacent to a changing area used for infants and toddlers

In Compliance

281 - Toilet

922 KAR 2:120 - Section 10

(4) Each toilet shall:

- (a) Be kept in clean condition;
- (b) Be kept in good repair;
- (c) Be in a lighted room; and
- (d) Have ventilation to outside air.

1) Clean

In Compliance

2) Good repair

In Compliance

3) Lighted Room

In Compliance

4) Ventilated

In Compliance

Premises - Classroom

191 - Inaccessible Items

922 KAR 2:120 - Section 3

(7) The following shall be inaccessible to a child in care:

- (a) Toxic cleaning supplies, poisons, and insecticides;
- (b) Knives and sharp objects;
- (c) Matches, cigarettes, lighters, and flammable liquids;
- (d) Plastic bags;
- (e) Litter and rubbish;
- (f) Bar soap; and
- (g) Personal belongings of staff.

1) Toxic cleaning supplies, poisons, and insecticides

In Compliance

2) Knives and sharp objects

In Compliance

3) Matches, cigarettes, lighters, and flammable liquids

In Compliance

4) Plastic bags

In Compliance

5) Litter and rubbish

In Compliance

6) Bar soap

In Compliance

197 - Premises Requirements

922 KAR 2:120 - Section 4 Premises Requirements.

- (1) The premises shall be:
- (a) Suitable for the purpose intended;
 - (b) Kept clean and in good repair; and
 - (c) Equipped with a land-line telephone accessible to a room used by a child.

- | | |
|----------------|---------------|
| 1) Suitable | In Compliance |
| 2) Clean | In Compliance |
| 3) Good repair | In Compliance |

202 - 35 Square Feet per child

In Compliance

922 KAR 2:120 - Section 4

- (5) Exclusive of the kitchen, bathroom, hallway, and storage area, there shall be a minimum of thirty-five (35) square feet of space per child.

205 - Floors, walls, Ceilings

922 KAR 2:120 - Section 4

- (8) Floors, walls, and ceilings shall be smooth, in good repair, and constructed to be easily cleaned.

- | | |
|--------------------------------|---------------|
| 1) Floors smooth/good repair | In Compliance |
| 2) Walls smooth/good repair | In Compliance |
| 3) Ceilings smooth/good repair | In Compliance |
| 4) Floors easily cleaned | In Compliance |
| 5) Walls easily cleaned | In Compliance |
| 6) Ceilings easily cleaned | In Compliance |

233 - Infant/Toddler indoor space

922 KAR 2:120 - Section 5 Infant and Toddler Play Requirements.

- (1) Infant and toddler inside areas shall:
- (a) Be separate from an area used by an older child;
 - (b) Not be an exit or entrance; and
 - (c) Have adequate crawling space for an infant or toddler away from general traffic patterns of the center.

- | | |
|---------------------------------|---------------|
| 1) Separate from older children | In Compliance |
| 2) Not Exit/ Entrance | In Compliance |
| 3) Adequate crawling space | In Compliance |
| 4) Traffic Pattern | In Compliance |

280 - Sink

922 KAR 2:120 - Section 10

- (3) A sink shall be;
- (a) Located in or immediately adjacent to toilet rooms;
 - (b) Equipped with hot and cold running water that allows for hand washing;
 - (c) Equipped with hot water no more than 110 degrees Fahrenheit;
 - (d) Equipped with liquid soap and single use disposable hand drying material;
 - (e) Equipped with an easily cleanable, covered waste receptacle; and
 - (f) Immediately adjacent to a changing area used for infants and toddlers.

- | | |
|---|---------------|
| 1) Located in or immediately adjacent to toilet rooms | In Compliance |
| 2) Equipped with hot running water that allows for hand washing | In Compliance |
| 3) Equipped with cold running water that allows for hand washing | In Compliance |
| 4) Equipped with hot water no more than 110 degrees Fahrenheit | In Compliance |
| 5) Equipped with liquid soap and single use disposable hand drying material | In Compliance |
| 6) Equipped with an easily cleanable, covered waste receptacle | In Compliance |
| 7) Immediately adjacent to a changing area used for infants and toddlers | In Compliance |

Inspection Report

First Aid/Medication

244 - First aid supplies

922 KAR 2:120 - Section 7

(3) If a child becomes ill while at the center:

- (a) The child shall be placed in a supervised area isolated from the rest of the children;
- (b) The parent shall be contacted immediately; and
- (c) Arrangements shall be made to remove the child from the child-care center as soon as practicable.

1) Availability	In Compliance
2) Storage	In Compliance
3) Inventoried	In Compliance
4) Sanitized, if reusable	In Compliance
5) Maintained in sanitary manner	In Compliance
6) Liquid soap	In Compliance
7) Adhesive bandages	In Compliance
8) Sterile gauze	In Compliance
9) Medical tape	In Compliance
10) Scissors	In Compliance
11) Thermometer	In Compliance
12) Flashlight	In Compliance
13) Cold pack	In Compliance
14) First aid book	In Compliance
15) Disposable gloves	In Compliance
16) Cardiopulmonary resuscitation mouthpiece protector	In Compliance

Outdoor Play Area - Supervision

186 - Activity Areas/Equipment/Materials

In Compliance

922 KAR 2:120 - Section 3

(2) Activity areas, equipment, and materials shall be arranged so that the child's activity can be given adequate supervision by staff.

Outdoor Play Area

215 - Fence Requirement

In Compliance

922 KAR 2:120 - Section 4

(18) An outdoor play area shall be:

- (a) Except for an after-school child care program, located on the premises of a public or state-accredited nonpublic school, fenced for the safety of the children;

216 - 60 Square Feet

In Compliance

922 KAR 2:120 - Section 4 (18)

- (b) A minimum of sixty (60) square feet per child, separate from and in addition to the thirty-five (35) square feet minimum pursuant to subsection (5) of this section;

218 - Playground Safe

In Compliance

922 KAR 2:120 - Section 4 (18)

- (d) Safe from foreseeable hazard;

221 - Playground in good repair

In Compliance

922 KAR 2:120 - Section 4 (18)

- (g) In good repair; and

222 - Playground visible

In Compliance

922 KAR 2:120 - Section 4 (18)

- (h) Visible to staff at all times.

235 - Infant/Toddler outdoor space

922 KAR 2:120 - Section 5

(3) If a child-care center provides an outdoor play area for an infant or toddler, the outdoor area shall be:

- (a) Shaded; and
- (b) A separate area or scheduled at a different time than an older child.

1) Shaded	In Compliance
2) Separate	In Compliance

Inspection Report

Outdoor Play Area - Equipment

226 - Anchored Equipment

In Compliance

922 KAR 2:120 - Section 4

(22) Supports for climbing apparatus and large equipment shall be securely fastened to the ground.

230 - Sufficient appropriate equipment

922 KAR 2:120 - Section 4

(26) A child-care center shall have enough toys, play apparatus, and age-appropriate developmental materials to provide each child with a variety of activities during the day, as specified in Section 2 of this administrative regulation.

1) Quantity

In Compliance

2) Age Appropriate

In Compliance

294 - Toys/Equipment/Furniture

922 KAR 2:120 - Section 11

(1) All toys, equipment, and furniture contacted by a child shall be:

- (a) Kept clean and in good repair and
- (b) Free of peeling, flaking, or chalking paint.

1) Clean

In Compliance

2) Good repair

In Compliance

3) Free from peeling, flaking, chalking paint

In Compliance

295 - Indoor/outdoor Equipment

922 KAR 2:120 - Section 11

(2) Indoor and outdoor equipment shall:

- (a) Be clean, safe, and in good repair;
- (b) Meet the physical, developmental needs, and interests of children of different age groups;
- (c) Be free from sharp points or corners, splinters, protruding nails or bolts, loose or rusty parts, hazardous small parts, lead-based paint, poisonous material, and flaking or chalking paint; and
- (d) Be designed to guard against entrapment or situations that may cause strangulation.

1) Clean

In Compliance

2) Safe

In Compliance

3) Good repair

In Compliance

4) Meets needs

In Compliance

5) Free from harmful conditions

In Compliance

6) Guard against entrapment/strangulation

In Compliance

296 - Toys

922 KAR 2:120 - Section 11

(3) Toys shall be:

- (a) Used according to the manufacturer's safety specifications;
- (b) Durable; and
- (c) Without sharp points or edges.

1) Used according to manufacturers specifications

In Compliance

2) Durable

In Compliance

3) No sharp points/edges

In Compliance

Equipment - General Premises

226 - Anchored Equipment

In Compliance

922 KAR 2:120 - Section 4

(22) Supports for climbing apparatus and large equipment shall be securely fastened to the ground.

227 - Crawl Spaces

In Compliance

922 KAR 2:120 - Section 4

(23) Crawl spaces, such as tunnels, shall be short and wide enough to permit access by adults.

298 - Children's Tables and Chairs

In Compliance

922 KAR 2:120 - Section 11

(5) Tables and chairs shall be of suitable size for children.

Inspection Report

Equipment - Classroom

230 - Sufficient appropriate equipment

922 KAR 2:120 - Section 4

(26) A child-care center shall have enough toys, play apparatus, and age-appropriate developmental materials to provide each child with a variety of activities during the day, as specified in Section 2 of this administrative regulation.

1) Quantity

In Compliance

2) Age Appropriate

In Compliance

231 - Shelves/Storage

922 KAR 2:120 - Section 4

(27) Storage space shall be provided:

- (a) In the form of low open shelves accessible to the children; and
- (b) In sufficient quantity for each child's clothing.

1) Low, open, accessible

In Compliance

2) Sufficient quantity

In Compliance

296 - Toys

922 KAR 2:120 - Section 11

(3) Toys shall be:

- (a) Used according to the manufacturer's safety specifications;
- (b) Durable; and
- (c) Without sharp points or edges.

1) Used according to manufacturers specifications

In Compliance

2) Durable

In Compliance

3) No sharp points/edges

In Compliance

298 - Children's Tables and Chairs

In Compliance

922 KAR 2:120 - Section 11

(5) Tables and chairs shall be of suitable size for children.

Food Service

253 - Food Service Permit

Not Applicable

922 KAR 2:120 - Section 8

(2) A center required to have a food service permit shall be in compliance with 902 KAR 45:005 and this administrative regulation.

256 - Refrigerator

922 KAR 2:120 - Section 8

(5) A cold-storage facility used for storage of perishable food in a nonfrozen state shall:

- (a) Have an indicating thermometer or other appropriate temperature measuring device;
- (b) Be in a safe environment for preservation; and
- (c) Be forty-five (45) degrees Fahrenheit or below, or 140 degrees Fahrenheit or above.

1) Thermometer

In Compliance

2) Safe environment

In Compliance

3) 45 degrees or below

In Compliance

257 - Frozen Food

922 KAR 2:120 - Section 8

(6) Except when being thawed for preparation or use, frozen food shall be:

- (a) Kept at a temperature of zero degrees Fahrenheit or below; and
- (b) If potentially hazardous:
 - 1. Thawed at refrigerator temperatures;
 - 2. Thawed under cool, potable running water;
 - 3. Quick thawed as part of the cooking process; or
 - 4. Thawed by another method in accordance with the Department of Public Health's food safety standards and permits, established in KRS Chapter 217.

1) Kept at zero degrees or below

In Compliance

Written Documentation

27 - Notification of changes

922 KAR 2:090 - Section 5

(12) Changes to a child-care center as listed in 922 KAR 2:110, Section 6(4), (5), and (6) shall be:

- (a) In writing to the cabinet or its designee; and
- (b) Signed by each owner listed on the license.

1) In Writing

In Compliance

Inspection Report

143 - Notification of Changes

922 KAR 2:110 - Section 6

(4) Written notification of the following shall be made to the cabinet to allow for approval before implementation:

- (a) Change of ownership;
- (b) Change of location;
- (c) Increase in capacity;
- (d) Change in hours of operation;
- (e) Change of services in the following categories:
 - 1. Infant;
 - 2. Toddler;
 - 3. Two (2) years to school-age;
 - 4. School-age;
 - 5. Nontraditional hours; or
 - 6. Transportation; or
- (f) Addition to the square footage a child-care center's premises.

2) CHOL

In Compliance

3) Capacity

In Compliance

Posted Documentation

95 - Posting Requirements

922 KAR 2:110 - Section 2

(7) In addition to the posting requirement of KRS 199.898(3), a child-care center shall post the following in a conspicuous place and make available for public inspection:

- (a) Each statement of deficiency and civil monetary penalty notice issued by the cabinet during the current licensure year;
- (b) Each plan of correction submitted by the child-care center to the cabinet during the current licensure year;
- (c) A description of services provided by the child-care center, including:
 - 1. Current rates for child care; and
 - 2. Each service charged separately and in addition to the basic rate for child care.
- (d) Minimum staff-to-child ratios and group size established in 922 KAR 2:120; and
- (e) Daily schedule.

4) Services

In Compliance

5) Rates

In Compliance

6) Ratios/Group Size

In Compliance

7) Daily Schedule

In Compliance

Signature of
Provider/Representative

Title

Date