



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Eastern Branch
455 Park Place, Suite 120A
Lexington, KY 40511

Adam Mather
INSPECTOR GENERAL

Phone: (859) 246-2301 Fax: (859) 246-2307
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: The Nest	Provider Information	License No: L359136
Provider Address: 530 N. Limestone Street, Lexington, KY, 40508	Provider Type: LICENSED TYPE I	Capacity: 45
Owner(s): Center For Women, Children And Families, Inc.		Director(s): Norman, Jennifer Morris

Inspection Type: Investigation	Inspection Information	Inspection No: 18175
Visit Start Date: 03/25/2013 5:20 PM	Visit End Date: 03/26/2013 10:25 AM	
No. of Children Present: 15		

Inspection Report

Supervision

167 - Children supervised/Protected

922 KAR 2:120 - Section 2 (3)

(a) Each center shall maintain a child care program that assures each child will be:

1. Provided adequate supervision at all times; and
2. Protected from abuse or neglect.

1) Adequately supervised at all times

In Compliance

Staffing Requirements

162 - Ratios and Group Size

In Compliance

922 KAR 2:120 - Section 2

(2) Minimum staff-to-child ratios and group size for an operating child-care center shall be maintained as follows:

Age of Children Ratio Maximum

Group

Size*

Infant 1 staff for 5 children 10

Toddler 1 staff for 6 children 12

2 to 3 years 1 staff for 10 children 20

3 to 4 years 1 staff for 12 children 24

4 to 5 years 1 staff for 14 children 28

5 to 7 years 1 staff for 15 children 30

7 and older 1 staff for 25 children

(for before and after school) 30

1 staff for 20 children

(full day of care) 30

*Maximum Group Size shall be applicable only to Type I centers.

Programming

234 - Infant/Toddler with older children

In Compliance

922 KAR 2:120 - Section 5

(2) An infant or toddler may participate in an activity with an older child for no more than one (1) hour.



Inspection Report

Equipment - Classroom

237 - Crib Mattress/Standards

922 KAR 2:120 - Section 6

(2) A crib shall:

- (a) Be equipped with a firm, comfortable waterproof mattress; and**
- (b) Meet the standards set forth in 16 C.F.R. 1508 and 1509.**

2) Meets Standards

Not In Compliance

Findings:

Infants: Based on Observation, it was found that one (1) crib present in the infant classroom, does not meet the requirement of this regulation. This crib did not contain evidence of complying with new federal guidelines (16 CRF 1219 or 1220).

Signature of
Provider/Representative

Title

Date