



Andy Beshear
GOVERNOR

CABINET FOR HEALTH AND FAMILY SERVICES
OFFICE OF INSPECTOR GENERAL

Eric Friedlander
SECRETARY

Melissa A. Moore, Director
Division of Regulated Child Care
Western Branch
901 B South Main Street
Hopkinsville, KY 42240

Adam Mather
INSPECTOR GENERAL

Phone: (270) 889-6052 Fax: (270) 889-6089
<https://chfs.ky.gov/agencies/os/oig>

Inspection Report

Provider Name: Guiding Light Nursery & PreSchool	Provider Information	CLR No: L355061
Provider Address: 635 E. 5th Street, Russellville, KY, 42276	Provider Type: LICENSED TYPE I	Capacity: 35
Owner(s): Jesus Community Center, Inc.		Director(s): Hoots, Tonya Renee

Inspection Type: Renewal Application	Inspection Information	Inspection No: 289553
Date Initiated: 06/21/2019 9:28 AM	Date Concluded: 06/21/2019 11:38 AM	
	No. of Children Present: 8	

Inspection Report	
Background Checks	In Compliance
Supervision	In Compliance
Staffing Requirements	In Compliance
General Administration	In Compliance
Director Requirements	Not In Compliance

350 - Health, Safety, Comfort **Not In Compliance**

922 KAR 2:090. Section 10. Director Requirements and Responsibilities.
(1) A director shall:
(l) **Assure the health, safety, and comfort of each child;**

Findings:

General: Based on observation and interview, the cord from a compact disk player extended from a four (4) foot tall bookshelf down to the electrical wall plug in the Preschool room. The cord was accessible to children in the classroom.

Employee Records	In Compliance
Programming	In Compliance
Premises	In Compliance
Hygienic Practices	Not In Compliance

685 - Diaper Changing Area/Surface **Not In Compliance**

922 KAR 2:120. Section 10. Toilet, Diapering, and Toiletry Requirements.
(10) When a child is diapered, the child shall:
(b) **Be placed on a surface that is:**
1. **Clean;**
2. **Padded;**
3. **Free of holes, rips, tears, or other damage;**
4. **Nonabsorbent;**
5. **Easily cleaned; and**
6. **Free of any items not used for diaper changing.**

Findings:

General: Based on observation, the diaper changing pad, in the nursery, was torn approximately two (2) inches.

First Aid/Medication	In Compliance
-----------------------------	----------------------

Inspection Report

Outdoor Play Area

In Compliance

Equipment

In Compliance

Transportation

In Compliance

Food Service/Food Program

In Compliance

Food Service

In Compliance

Children's Records

In Compliance

Written Documentation

In Compliance

Posted Documentation

In Compliance

Animals

In Compliance

Signature of Provider/Representative

Title

Date