

Center Name: Immanuel Lutheran Preschool		Address: 1021 N. Prince Clovis, NM 88101			Phone: (575)763-1952			
License Number: 113437	Issue Date: 04/16/2017	Expiration Date: 04/15/2018	Type: 2 Star Child Care Center		Status: Licensed			
Capacity					Census			
Over Age 2:	14	Under Age 2:	0	Night Care:	0	Playground:	14	
					Over 2:	-	Under 2:	-
Days and Hours of Operation								
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>	
Opening Times:	08:30 AM	Closed	08:30	Closed	08:30	Closed	Closed	
Closing Times:	02:30 P		02:30 P		02:30 P			
# of Classrooms: 2	Purpose: Follow-up		Date: 09/25/2017		Time: 09:35 AM			
Comments Follow up for Semi-Annual Survey dated 08/23/2017 documentation was provided through e-mail. Deficiencies have been cleared except water temp. Two additional weeks will be provided to complete and clear water Deficiencies.								

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspected
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Not Inspected
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspected
8.16.2.21 B CAPACITY OF CENTERS	Not Inspected
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Not Inspected
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Compliance
8.16.2.22 F PERSONNEL RECORDS	Compliance
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Not Inspected
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Not Inspected

Center Name: Immanuel Lutheran Preschool	License Number: 113437	Date: 09/25/2017
Personnel & Staffing		
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES		Not Inspected
Services & Care of Children		
8.16.2.24 A GUIDANCE		Not Inspected
8.16.2.24 B NAPS OR REST PERIOD		Not Inspected
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		Not Inspected
8.16.2.24 D DIAPERING AND TOILETING		Not Inspected
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		Not Inspected
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		Not Inspected
8.16.2.24 G PHYSICAL ENVIRONMENT		Not Inspected
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Not Inspected
8.16.2.24 I EQUIPMENT AND PROGRAM		Not Inspected
8.16.2.24 J OUTDOOR PLAY AREAS		Not Inspected
8.16.2.24 K SWIMMING, WADING AND WATER		Not Inspected
8.16.2.24 L FIELD TRIPS		Not Inspected
Food Service		
8.16.2.25 B MEALS AND SNACKS		Not Inspected
8.16.2.25 C MENUS		Not Inspected
8.16.2.25 D KITCHENS		Not Inspected
8.16.2.25 E MEAL TIMES		Not Inspected
Health & Safety Requirements		
8.16.2.26 A HYGIENE		Not Inspected
8.16.2.26 B FIRST AID REQUIREMENTS		Not Inspected
8.16.2.26 C MEDICATION		Not Inspected
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		Not Inspected
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		Not Inspected
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING		Not Inspected
8.16.2.29 B PEST CONTROL		Not Inspected
8.16.2.29 C MECHANICAL SYSTEMS Deficiencies Water coming from a faucet is above 110 degrees Fahrenheit. Regulation: 8.16.2.29C(5) Corrective Action Plan The center will install a tempering valve ahead of the water-heater piping to ensure water temperature remains below 110 degrees Fahrenheit. Date to be Completed: 10/09/2017		Non-compliance

Center Name: Immanuel Lutheran Preschool	License Number: 113437	Date: 09/25/2017
Buildings, Grounds & Safety		
8.16.2.29 D WATER AND WASTE	Not Inspected	
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL	Not Inspected	
8.16.2.29 F EXITS AND WINDOWS	Not Inspected	
8.16.2.29 G TOILET AND BATHING FACILITIES	Not Inspected	
8.16.2.29 H SAFETY COMPLIANCE	Not Inspected	
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES	Not Inspected	
8.16.2.29 J PETS	Not Inspected	

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

Susie Aragon 9:40

09/25/2017

On file

09/25/2017

Surveyor: Susie Aragon	Date	Facility Rep: Leah Bauder	Date
------------------------	------	---------------------------	------