

Center Name: La Clinica de Familia Early Head Start 2		Address: 4121 Sam Steel Way Unit 13 Las Cruces, NM 88003			Phone: (575)532-0515		
License Number: 166870	Issue Date: 05/9/2017	Expiration Date: 08/8/2017	Type: 2 Star Child Care Center		Status: Licensed		
Capacity					Census		
Over Age 2:	12	Under Age 2:	12	Night Care:	0	Playground:	54
				Over 2:	14	Under 2:	8
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	07:30	07:30	07:30	07:30	07:30	Closed	Closed
Closing Times:	05:00 PM	05:00 PM	05:00 PM	05:00 PM	05:00 PM		
# of Classrooms: 3	Purpose: Semi-Annual		Date: 10/02/2017		Time: 01:00 AM		
Comments							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspected
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Not Inspected
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspected
8.16.2.21 B CAPACITY OF CENTERS	Compliance
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Not Inspected
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Not Inspected
8.16.2.22 F PERSONNEL RECORDS	Not Inspected
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Not Inspected
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Not Inspected
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance

Center Name: La Clinica de Familia Early Head Start 2	License Number: 166870	Date: 10/02/2017
Services & Care of Children		
8.16.2.24 A GUIDANCE		Compliance
8.16.2.24 B NAPS OR REST PERIOD		Compliance
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		Compliance
8.16.2.24 D DIAPERING AND TOILETING		Compliance
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		Not Inspected
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		N/A
8.16.2.24 G PHYSICAL ENVIRONMENT		Compliance
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Compliance
8.16.2.24 I EQUIPMENT AND PROGRAM		Compliance
8.16.2.24 J OUTDOOR PLAY AREAS		Compliance
8.16.2.24 K SWIMMING, WADING AND WATER		Not Inspected
8.16.2.24 L FIELD TRIPS		Not Inspected
Food Service		
8.16.2.25 B MEALS AND SNACKS		Not Inspected
8.16.2.25 C MENUS		Compliance
8.16.2.25 D KITCHENS		Compliance
8.16.2.25 E MEAL TIMES		Not Inspected
Health & Safety Requirements		
8.16.2.26 A HYGIENE		Compliance
8.16.2.26 B FIRST AID REQUIREMENTS		Not Inspected
8.16.2.26 C MEDICATION		Not Inspected
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		Not Inspected
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		N/A
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING		Compliance
8.16.2.29 B PEST CONTROL		Compliance
8.16.2.29 C MECHANICAL SYSTEMS		Non-compliance
<p><u>Deficiencies</u> Water coming from a faucet is above 110 degrees Fahrenheit. Water in the Dolphins classroom is reading 139 degrees Fahrenheit, water in the Puffer Fish and Sea Turtles classroom is reading 135 degrees Fahrenheit. Regulation: 8.16.2.29C(5)</p> <p><u>Corrective Action Plan</u> The center will install a tempering valve ahead of the water-heater piping to ensure water temperature remains below 110 degrees Fahrenheit. Date to be Completed: 11/02/2017</p>		

Center Name: La Clinica de Familia Early Head Start 2	License Number: 166870	Date: 10/02/2017
---	----------------------------------	----------------------------

Buildings, Grounds & Safety

8.16.2.29 D WATER AND WASTE	Compliance
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL	Compliance
8.16.2.29 F EXITS AND WINDOWS	Compliance
8.16.2.29 G TOILET AND BATHING FACILITIES	Compliance
8.16.2.29 H SAFETY COMPLIANCE	Compliance
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES	Compliance
8.16.2.29 J PETS	Not Inspected

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.



10/02/2017



10/02/2017

Surveyor: Steven Wells	Date	Facility Rep: Christina Bustamante	Date
------------------------	------	------------------------------------	------